	itle	Where were uncertainties from?	Why is there uncertainty?	Final rank of question after workshop		Which types of treatments? 2		Which types of treatments? 4	Original uncertainty	References to reliable up-to-date systematic reviews	Systematic reviews in preparation at time of PSP	Systematic reviews that need updating or extending at time of PSP	Which outcomes
			y io anore uncortainty:	WOLKSHOP	u outmonto: I				g-ma wiley willy		<u> </u>	Reddy M, Gill S S, Rochon P A. Preventing	
						1	1				1	pressure ulcers: a systematic review. JAMA.2006;296(8):974?84. Michael S M,	
											Gillespie BM, Chaboyer WP, McInnes E, Kent B,	Porter D, Pountney T E. Tilted seat position for	
				Priority 01							Whitty JA. Repositioning for pressure ulcer	non-ambulant individuals with neurological and	ı
									Pressure Ulcer Ranked 1 This is an indicative uncertainty. This		prevention in adults. Cochrane Database of	neuromuscular impairment: a systematic	
	low effective is repositioning in the revention of pressure ulcers	Uncertainties identified from clinicians' questions	Existing relevant systematic reviews are not up-to-date		Physical therapies	1	1		or a similar uncertainty was submitted the following number of times in the survey:47		Systematic Reviews 2012, Issue 7. Art. No.: CD009958, DOI: 10.1002/14651858.CD009958.	review. Clinical Rehabilitation 2007; 21(12): 1063-74	Prevention
	low effective at preventing pressure ulcers is	clinicians questions	reviews are not up-to-date		trierapies	+	-		umes in the survey.47		CD009958. DOI: 10.1002/14651858.CD009958.	1063-74	Prevention
inv	nvolving patients, family and lay carers in	Uncertainties identified from	No relevant systematic reviews	Priority 02									
13 pa	atient care?	patients' questions	identified		Service delivery	/			Pressure Ulcer Ranked 2 28 Submissions				Prevention
									This submission was a variation of one which was prioritised. Priority 3 This submission was a variation of one which was				
									prioritised. Priority 3 This is an indicative uncertainty. This or a				
									similar uncertainty was submitted the following number of times				
									in the survey: 19 This uncertainty was also suggested for the				
				Briority 03					following patients and interventions:[+women in labour +mandatory training +in nursing homes +persistent natal clefts				
Do	Ooes the education of health and social care			Priority 03					+carers +ITU] Does the education of health and social staff on				
	taff on prevention lead to a reduction in the								prevention lead to a reduction in incidence of pressure ulcers				
	ncidence of pressure ulcers and if so, which								andif so, which are the most effective education programmes (at				
	are the most effective education programmes at organisational and health/social care	Uncertainties identified from	No relevant systematic reviews		Education and				organisational and Health/Social Carelevel)? [+different levels of resources spent on training +at different levels in the health				
	at organisational and health/social care evel)?	clinicians' questions	identified		training				service]				Prevention
- 110	3101).	omnoidhe quodhono	naoramos		training				This submission was a variation of one which was prioritised.				i iovoniion
									Priority 4 This is an indicative uncertainty. This or a similar				
									uncertainty was submitted the following number of times in the				
									survey: 19 This uncertainty was also suggested for the following patients and interventions: [+alternating mattresses +full	McInnes E, Jammali-Blasi A, Bell-Syer SEM,			
			Reliable up-to-date systematic	Priority 04			1			Dumville JC, Cullum N. Support surfaces for			
	low effective are the different types of		reviews have revealed	[1	1		+constant low pressure +static air flotation +profiling beds +high	pressure ulcer prevention. Cochrane Database of	ĺ		
	ressure relieving beds and mattresses in	Hannahaladi - 11-100 - 15	important continuing				1		specification foam +hard mattress +soft mattress] [+high risk	Systematic Reviews 2011, Issue 4. Art. No.:	1		
pr	reventing pressure ulcers and do they meet ne needs of the full range of patients at risk?	Uncertainties identified from	uncertainties about treatment effects		Devices		1		patients +mentally ill patients +kyphotic/scoliotic spine +sleep on backs +critically ill]	CD001735. DOI: 10.1002/14651858.CD001735.pub4.	1		Prevention
ı∠ (II)	re needs or the run range or patients at risk?	unnicidità questions	cucoto		Devices	+	+		Pressure Ulcer Ranked 5 What impact do different service	10.1002/14001000.CD0011/30.pub4.			rievendon
				Priority 05			1		models have on the incidence of pressure ulcers including				
	Vhat impact do different service models have		No relevant systematic reviews	Priority 05	L	1	1		staffing levels, continuity of care [an on-going relationship with		ĺ		l
4 on	n the incidence of pressure ulcers?	patients' questions	identified		Service delivery	4	+	1	same staff members] and the current organisation of			1	Ulcer healing
							1		Ulcer Ranked 6 This is an indicative uncertainty. This or a similar				
				[1	1		uncertainty was submitted the following number of times in the		ĺ		
							1		survey: 2 What are the best service models (and are they		1		
				Priority 06					sufficiently accessible) to ensure that patients with pressure				
344	What are the best service models to ensure						1		ulcers receive the best treatment outcomes (including whether getting people with pressure ulcers and their carers more				
		Uncertainties identified from	No relevant systematic reviews				1		getting people with pressure ulcers and their carers more involved in their own pressure ulcer management improves ulcer				
	est treatment outcomes?	carers' questions	identified	<u> </u>	Service delivery	<u>/ </u>			healing and if so, the most effective models of engagement)?	<u> </u>	<u> </u>	<u> </u>	Prevention; Ulcer
												Ubbink D1, Westerbos SJ, Evans D, Land L,	
												Vermeulen H. Topical negative pressure for treating chronic wounds. Cochrane Database	
												of Systematic Reviews 2008, Issue 3. Art. No.:	
												CD001898. DOI:	
												10.1002/14651858.CD001898.pub2. Ubbink D	
												T, Westerbos S J, Nelson E A, Vermeulen H.	
												A systematic review of topical negative pressure therapy for acute and chronic	
												wounds. British Journal of Surgery 2008;	
				Priority 07						Xie X, McGregor M, Dendukuri N. The clinical		95(6): 685-692 van den Boogaard M, de Laat	
										effectiveness of negative pressure wound		E, Spauwen P, Schoonhoven L. The	
										therapy: a systematic review. Journal of Wound Care 2010; 19 (11): 490-5. PMID: 21135797		effectiveness of topical negative pressure in	
										McInnes E, Jammali-Blasi A, Bell-Syer SEM,		the treatment of pressure ulcers: a literature review. European Journal of Plastic Surgery	
										Dumville JC, Cullum N. Support surfaces for		2008; 31(1): 1-7; Gregor S, Maegele M,	
										pressure ulcer prevention. Cochrane Database of		Sauerland S, Krahn JF, Peinemann F, Lange	
	or wheelchair users sitting on a pressure		No selected and selected and selected		Diam'r.				Pressure Ulcer Ranked 7 This is an indicative uncertainty. This	Systematic Reviews 2011,Issue 4. Art. No.:		S. Negative pressure wound therapy: a	
	lcer, how effective is bed rest in promoting ressure ulcer healing?	clinicians' questions	No relevant systematic reviews identified		Physical therapies				or a similar uncertainty was submitted the following number of times in the survey:13	CD001735. DOI: 10.1002/14651858.CD001735.pub4		vacuum of evidence? Archives of Surgery 2008: 143(2): 189-96	Ulcer healing
2 pi	ressure dicer riealing:	cirriciaris questions	Identined		trierapies		1		unies in the survey.15	10.1002/14031030.CD001733.pub4		Juli AB, Walker N, Deshpande S. Honey as a	Olcer Healing
												topical treatment for wounds. Cochrane	
							1					Database of Systematic Reviews 2013, Issue	
							1				Keogh SJ, Nelson EA, Webster J, Jolly J, Ullman	2. Art. No.: CD005083. DOI: 10.1002/14651858.CD005083.pub3	
1				[1	1				AJ, Chaboyer WP. Hydrocolloid dressings for	Vermeulen H, van Hattem JM, Storm-	
1				Driority 00		1	1				treating pressure ulcers (Protocol). Cochrane	VerslootMN, Ubbink DT, Westerbos SJ. Topical	
				Priority 08		1	1				Database of Systematic Reviews 2013, Issue 2.	silver for treating infected wounds. Cochrane	
				[1	1			Dat AD, Poon F, Pham KBT, Doust J. Aloe vera	Art. No.: CD010364. DOI:	Database of Systematic Reviews 2007, Issue 1. Art. No.: CD005486. DOI:	
							1			for treating acute and chronic wounds. Cochrane	ZEH,Webster J. Dressings and topical agents for	10.1002/14651858.CD005486.pub2. Reddy	
							1			Database of Systematic Reviews 2012, Issue 2.	preventing pressure ulcers. Cochrane Database of	M, Gill S S, Rochon P A. Preventing pressure	
Н	low effective are wound dressings in the		No relevant systematic reviews		L .		1		or a similar uncertainty was submitted the following number of	Art. No.: CD008762. DOI:	Systematic Reviews 2011, Issue 10. Art. No.:	ulcers: a systematic review.	L.,
	romotion of pressure ulcer healing?	clinicians' questions	identified		Devices	+	+	1	times in the survey:29	10.1002/14651858.CD008762.pub2	CD009362. DOI: 10.1002/14651858.CD009362.	JAMA.2006;296(8):974?84	Ulcer healing
				[1	1			Moore ZEH, Cowman S. Repositioning for treating pressure ulcers. Cochrane Database of	ĺ		
				Priority 09		1	1		Pressure Ulcer Ranked 9 This is an indicative uncertainty. This	Systematic Reviews 2012, Issue 9. Art. No.:	ĺ		
	Ooes regular turning of patients in bed		No relevant systematic reviews		Physical		1		or a similar uncertainty was submitted the following number of	CD006898. DOI:			[
3 pr		clinicians' questions	identified		therapies	+		-	times in the survey:12	10.1002/14651858.CD006898.pub3	ļ	Langer G. Knorr A. Kuss O. Baharan	Ulcer healing
3 pr	romote healing of pressure ulcers?	'	1	[1	1				ĺ	Langer G, Knerr A, Kuss O, Behrens J, Schl?mer GJ. Nutritional interventions for	
Do		·			1	1	1				ĺ	preventing and treating pressure ulcers.	
Do		·					1					Cochrane Database of Systematic Reviews	
Do							1						1
pr Do												2003, Issue 4. Art. No.: CD003216. DOI:	
3 pr				Priority 10								10.1002/14651858.CD003216 Sampson EL,	
3 pr				Priority 10								10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for	
3 pr				Priority 10					Pressure Ulcer Ranked =10 This is an indicative uncertainty.			10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia.	
Do Do	romote healing of pressure ulcers?	Uncertainties identified from	Existing relevant systematic	Priority 10					This or a similar uncertainty was submitted the following number			10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	
Do D	romote healing of pressure ulcers? Does improving diet (eating) and hydration drinking) promote pressure ulcer healing?	clinicians' questions	reviews are not up-to-date	Priority 10	Diet							10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews	Ulcer healing
Do D	romote healing of pressure ulcers? Does improving diet (eating) and hydration drinking) promote pressure ulcer healing? tow effective are surgical operations to close	clinicians' questions Uncertainties identified from	reviews are not up-to-date No relevant systematic reviews	Priority 10 Priority 11	Diet				This or a similar uncertainty was submitted the following number of times in the survey:15			10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	
Do D	romote healing of pressure ulcers? Does improving diet (eating) and hydration drinking) promote pressure ulcer healing?	clinicians' questions	reviews are not up-to-date		Diet Surgery				This or a similar uncertainty was submitted the following number		Moore ZEH.Webster J. Dressings and tonical	10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	Ulcer healing Ulcer healing
Do do produce to the	romote healing of pressure ulcers? Does improving diet (eating) and hydration drinking) promote pressure ulcer healing? tow effective are surgical operations to close	clinicians' questions Uncertainties identified from	reviews are not up-to-date No relevant systematic reviews		Diet Surgery				This or a similar uncertainty was submitted the following number of times in the survey:15		Moore ZEH,Webster J. Dressings and topical agents for preventing pressure ulcers. Cochrane	10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	
Do Do Do Do Do Ho Ho Ho	comote healing of pressure ulcers? Does improving diet (eating) and hydration drinking) promote pressure ulcer healing? low effective are surgical operations to close ressure ulcers/help them heal?	clinicians' questions Uncertainties identified from patients' questions	reviews are not up-to-date No relevant systematic reviews identified		Diet Surgery				This or a similar uncertainty was submitted the following number of times in the survey:15 Pressure Ulcer Ranked 10= 10 Submissions Pressure Ulcer Ranked 12 This is an indicative uncertainty. This		agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10.	10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	
Do D	ones improving diet (eating) and hydration drinking) promote pressure ulcer healing? tow effective are surgical operations to close ressure ulcer/help them heal?	clinicians' questions Uncertainties identified from patients' questions Uncertainties identified from	reviews are not up-to-date No relevant systematic reviews identified No relevant systematic reviews	Priority 11					This or a similar uncertainty was submitted the following number of times in the survey:15 Pressure Ulcer Ranked 10= 10 Submissions Pressure Ulcer Ranked 12 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of		agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:	10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	Ulcer healing
Do D	comote healing of pressure ulcers? Does improving diet (eating) and hydration drinking) promote pressure ulcer healing? low effective are surgical operations to close ressure ulcers/help them heal?	clinicians' questions Uncertainties identified from patients' questions	reviews are not up-to-date No relevant systematic reviews identified	Priority 11	Diet Surgery Drug				This or a similar uncertainty was submitted the following number of times in the survey:15 Pressure Ulcer Ranked 10= 10 Submissions Pressure Ulcer Ranked 12 This is an indicative uncertainty. This		agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI: 10.1002/14651858.CD009362.	10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	
Doc 4 pro	one improving diet (eating) and hydration drinking) promote pressure ulcer healing? tow effective are surgical operations to close ressure ulcer/help them heal?	clinicians' questions Uncertainties identified from patients' questions Uncertainties identified from	reviews are not up-to-date No relevant systematic reviews identified No relevant systematic reviews	Priority 11					This or a similar uncertainty was submitted the following number of times in the survey:15 Pressure Ulcer Ranked 10= 10 Submissions Pressure Ulcer Ranked 12 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of		agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI: 10.1002/14651858.CD009362. Moore ZEH,Webster J. Dressings and topical	10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	Ulcer healing
Do D	one improving diet (eating) and hydration drinking) promote pressure ulcer healing? tow effective are surgical operations to close ressure ulcer/help them heal?	clinicians' questions Uncertainties identified from patients' questions Uncertainties identified from	reviews are not up-to-date No relevant systematic reviews identified No relevant systematic reviews	Priority 11					This or a similar uncertainty was submitted the following number of times in the survey:15 Pressure Ulcer Ranked 10= 10 Submissions Pressure Ulcer Ranked 12 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of		agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI: 10.1002/14651858.CD009362.	10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	Ulcer healing

March Marc	James	Lind Alliance Pressure Ulcer PS	P uncertainties Where were uncertainties	1	Final rank of question after	Which types of	Which types of	Which types of V	Which types of	1	References to reliable up-to-date systematic	Systematic reviews in preparation at time of	Systematic reviews that need updating or	T
March Marc	dentifier		from?							Original uncertainty		PSP		Which outcomes?
March Marc	415621				Workshop List 14	Exercise								Prevention
March Marc			, , , , , , , , , , , , , , , , , , , ,											
Section Sect		Is using a pressure ulcer risk rating scale		important continuing	Workshop List 15						Database of Systematic Reviews 2008, Issue 3.			
						Diognostio				This is an indicative uncertainty. This or a similar uncertainty was	Art. No.: CD006471. DOI:			Diagnostic:Prevention
March 1999 Mar	410037	pressure dicers and is there a best scale?	cillicians questions	errects		Diagnostic				This is an indicative uncertainty. This or a similar uncertainty was				Diagnostic, Prevention
March Marc		How effective are incontinence devices at	Uncertainties identified from	No relevant systematic reviews	Workshop List 16									
A	415520	preventing ulcers?				Devices								Prevention
March Marc			Uncertainties identified from	No relevant systematic reviews	Workshon List 17	Physical								
March Marc	415636	debridement strategy?			Workshop List 17									Ulcer Healing
March Marc			Uncertainties identified from	No relevant systematic reviews	Workshop List 18									
A	415652					Drug				This is a second of the second				Pain relief
April 1999 Apr														
Company of the Comp					Workshop List 19	_				uncertainty was also suggested for the following patients and				
March Marc	415638					Drug		1						Ulcer Healing
Proceedings Process	415647	therapy as a treatment for pressure ulcers?			Workshop List 20	Devices							Kettner I Booder K Helfens B Dessen T A	Ulcer Healing
Control of Action Control of Co														
Company Comp			Uncertainties identified from	Existing relevant austematic	Workshop List 21					This is an indicative upportainty. This are a similar upportainty was				
Product of the control of the cont	415545					Diagnostic				submitted the following number of times in the survey: 8			PMID:19191981	Ulcer healing
Part														
An other state of the control of t										uncertainty was submitted the following number of times in the				
April Company Compan				No relevant systematic reviews										
Page The second of processing The second o						Diagnostic				general hospitals?]				Prevention
Residual of processing control of the control of th														
Institution of the process of the										uncertainty was submitted the following number of times in the				
Processing Section Process		How effective at preventing pressure ulcore is												
Month Control Contro		involving patients in managing their own								ulcers is involving patients in managing their own pressure				
Age and the find the	415528	pressure ulcers?		identified	-			1					-	Prevention
Experimental control of the control	415646													Ulcer Healing
The solution content office in content of the conte														
And the control of th												Database of Systematic Reviews 2011, Issue 10.		
A read and any or all read in the second of processing of the control of	415618	Are barrier creams effective in preventing				Drug								Prevention
Company of the comp	413010	Are heat sensors an effective means of				Drug				patients and interventions. [initiasite Gel]		10.1002/14031030.CD009302.		rievention
Response restriction of an electric response restriction restriction of the restriction o	415570					Devices								Prevention
And the content and will be content and the content of the content	710070	patiento enter nospitar:	ominorario questioris	Reliable up-to-date systematic		5041003		1			McGinnis E, Stubbs N. Pressure-relieving devices			. revenuell
An an example of which is presented for the present of the present														
As to complete design of the complete design		Are heel castings an effective treatment for		uncertainties about treatment							Art. No.: CD005485. DOI:			L
As prime from all controls programs As prime from all controls As prime from all con	415600	pressure ulcers on the heel?	clinicians' questions	effects		Devices		+		This is an indicative uncertainty. This or a similar uncertainty was				Ulcer healing
An apple of the most effective registration planes all seasons are incomparing planes and an apple of seasons are incompared and apple of the most effective planes are incompared as a positive control of the pl										submitted the following number of times in the survey: 9 This				
Addition to describe general special production of the control of		Are patient-focused education programmes	Uncertainties identified from	No relevant systematic reviews		Education and								
Per policy responses contagons of these per security of the control of the contro	415525									disorders:Skin ulcer:Pressure ulcer				Prevention
An obs. secretical processor deviction of the control for tended to th											1			
As the most difference of present and services of the control of t										uncertainty was also suggested for the following patients and				
Address visible for many at the NIST Visible control of previous deep from an expensive control of the control of previous and the control of	415526					training		-		interventions:[+non-blanching erythema]				Prevention Value for money to the
Applied to high pressure defection at an extension operation described from the following special content of the following special c		ulcers value for money to the NHS?				Surgery								NHS
ASTRONOMY Quantities of processing states of the reset defects processes states proceeding of the reset defects processes states processes of the reset defects processes states processes and the reset of the reset defects processes states processes and the reset of the reset defects processes states processes and the reset of the reset defects and the reset of the reset defects and the reset of the reset defects and the reset of			Uncertainties identified from	No relevant systematic reviews										
Description 2. Column N. Support articles for pressure of pressure and pressure of the pressur	415572		clinicians' questions			Devices					Malanas E. Januardi Dinai A. Dall Cura CEM			Prevention
Systematic Reviews 2011; tows 4. Art. No. CONTROLL Section of the control of the														
Relabile up to differire pressure infering and inferior pressure														
Asiles on to designate control patents As the most effective pressure relaining Asiles on to control patents As the most effective pressure relaining Asiles on to control patents As the most effective pressure relaining Asiles on to control patents Asiles on the control paten											CD001735. DOI:			
And the most effective pressure relieving statement of the missing representation of the protest guident described and of systematic Reviews 2011. 41556 Improvement conformation of the protest guident described and of systematic Reviews 2011. 41550 Improvement conformation of the protest guident described from the following patient described from the foll				Poliable up to data =========							10.1002/14651858.CD001735.pub4. McInnes E,			
As the most deficitive preserve reliability of the contracting about the contracting abo				reviews have revealed							Support surfaces for treating pressure ulcers.			
41550 Contraged pointer education and experiment reduces to the incidence of experiment reduces of of experiment r		Are the most effective pressure!	Uncortainties identified for	important continuing							Cochrane Database of Systematic Reviews 2011,			
empowerment reduces the incidence of electromagnet greatment and control of the c	415461	mattresses also the most comfortable?				Devices								Quality of life
41555 pressure fund reverted pressure for the restaur at specialist conference for the reverted pressure for the restaur at specialist conference for the reverted pressure for the restaur at specialist conference for the reverted pressure for the restaur at specialist conferenc			Uncertainties identified from	No relevant evetametic reviews		Education and								
defect on shis integrity? De Charpington of pressure ulcer prevention Autoritatives identified of the control	415551	pressure ulcer development?	clinicians' questions	identified										Prevention
Do champions of pressure ulcer prevention Do differing levels of success in the prevention of uncertainties identified from on training ulcertainties identified from on relevant systematic reviews Do pressure uncertainty was also suggested for the following patients Do champions of pressure ulcer prevention Do differing levels of success in the prevention of uncertainties identified from on relevant systematic reviews Education and training This submission was a variation of one which was prioritised. Preventified from one of the following patients Do pressure stretches such as physiotheraps to the following questions Do pressure stretches such as physiotheraps to the best practice pressure ulcer treatment at specialist conflicions receives appendix prevention of the prevention of the following patients of the following number of the following number of the following number of times in the survey: Do pressure stretches such as physiotheraps Do pressure stretches such as physiotheraps Do pressure stretches such as physiotheraps Do pressure stretches such as physiotheraps	A15E40					Drug								Adverse events
Do champions of pressure ufcer prevention 415574 improve pressure ufcer prevention? Do community physiotherizing questions are understand the provided of the		Do champions of pressure ulcer prevention	Uncertainties identified from	No relevant systematic reviews				1						
Do champions of pressure ulcer prevention / patients' questions in the first prevention / preventions prevention / preventions preventions in the first prevention of the firs	415686	improve pressure ulcer healing?	patients' questions	identified	1	Service delivery				This uncertainty was also suggested for the following nations:			1	Ulcer Healing
Do community physiotherapy interventions Uncertainties identified from Caretin questions Caretin q										and interventions: people with special needs +non-specialist				
415592 change the incidence of pressure ulcers? cares' questions possible from the prevention of pressure ulcers pressure users prevention of training result in varying levels of success in the prevention of training result in varying levels of success in the prevention of definitions (questions). This submission was a variation of one which was prioritised. Do people with specialist conditions receive the best practice pressure ulcer treatment at 15503 services? Do people with specialist conditions receive the best practice pressure ulcer treatment at 15503 services? Do people with specialist conditions receive the best practice pressure ulcer treatment at 15503 services? Do people with specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer treatment at specialist conditions receive the best practice pressure ulcer healing? Do prosure stretches such as physiotherapy and treatment at specialist conditions receive the best practice pressure ulcers. Do provide the pressure ulcers are the pressure ulcers to the streatment at specialist conditions receive the best practice pressure ulcers. Do provide the following receives the best provided treatment at specialist conditions receive the best practice pressure ulcers. Do provide the following receives the best practice pressure ulcers and treatment at specialist conditions and tr	415674		patients' questions Uncertainties identified from			Service delivery		+		health care professionals +at risk groups]	 			Prevention
by NHS trusts in staff training result in varying levels of success in the prevention of 415594 pressure sores? Uncertainties identified from clinicians' questions of training Do people with specialist conditions receive the best practice pressure ulcer treatment at specialist certifies compared to generalist 415503 services? No relevant systematic reviews identified from patients questions of training No relevant systematic reviews identified from patients questions of training No relevant systematic reviews identified from patients questions of training No relevant systematic reviews identified from patients questions of training No relevant systematic reviews identified from patients questions of the patients questions of training and training due to the patients questions of the patients questions of the patients questions of the patients questions of the prevention of the properties of the prevention of training developed by the patients of the prevention of training developed by the patients of the prevention of desired by the patients of the prevention of the p	415620	change the incidence of pressure ulcers?				Exercise								Prevention
levels of success in the prevention of discontinuous pressure sores? In or elevant systematic reviews dinicians' questions dentified from the best practice pressure ulcer treatment at specialist contribute of the best practice pressure ulcer treatment at specialist centres compared to generalist at 15503 services? In or pressure stretches such as physiotherapy at 15584 given by pressure ulcer halling? Do pressure stretches such as physiotherapy at 15584 given by pressure ulcer halling? Do staffing levels have an impact on the 415503 incidence of pressure ulcers to Do support surfaces prevent further tissue Do support surfaces prevent further tissue Uncertainties identified from identified from the dinicians' questions identified from the first an indicative uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty as a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of one which was prioritised. Priority 5This uncertainty was a variation of o														
This submission was a variation of one which was prioritised. Priority fiftis uncertainty was also suggested for the following patients and interventions: Do people with specialist conditions (for example a spinal injury) receive the best practice pressure ulcer treatment at the pest practice pressure ulcer treatment at the pest practice pressure ulcer treatment at specialist contribute of the pest practice pressure ulcer treatment at specialist contribute of the following patients and interventions: Do people with specialist conditions (for example a spinal injury) receive the best practice pressure ulcer treatment at specialist contribute of the patients' questions identified from patients' questions will dentified of the pest practice pressure ulcer treatment at specialist centres compared to generalist and ulcertainties identified from patients' questions identified of the patients' questions identified of pressure ulcer treatment at specialist centres compared to generalist services? Do prove pressure ulcer treatment at specialist centres compared to generalist and ulcertainties identified from patients' questions identified of pressure ulcers' ulcertainties identified from patients' questions identified of pressure ulcers' ulcertainties identified from patients' questions identified from patients'		levels of success in the prevention of	Uncertainties identified from											
Do people with specialist conditions receive the best practice pressure ulcer treatment at specialist centres compared to generalist 415503 services? Uncertainties identified from patients' questions identified from clinicians' questions identified from Do support surfaces perseure ulcer to support surfaces prevent further tissue Do support surfaces prevent further tissue	415594	pressure sores?	clinicians' questions	identified		training		+		This submission was a variation of one which was prioritised				Prevention
the best practice pressure ulcer treatment at specialist centres compared to generalist 415503 services? Do pressure stretches such as physiotherapy 415584 improve pressure ulcer healing? Do staffing levels have an impact on the 415530 incidence of pressure ulcers? Do support surfaces help pressure ulcers to Bo support surfaces help pressure ulcers to Bo support surfaces prevent further tissue Do support surfaces prevent further tissue Devices										Priority 6This uncertainty was also suggested for the following				
specialist centres compared to generalist 41550 services? Do pressure stretches such as physiotherapy 415584 improve pressure ulcer healing? Do staffing levels have an impact on the 41550 incidence of pressure ulcers? Do support surfaces help pressure ulcers to 50 support surfaces help pressure ulcers to 415544 heal? Do support surfaces prevent further tissue Do support surfaces prevent further tissue Uncertainties identified from clinicians 'questions identified Exercise Uncertainties identified from clinicians' questions identified Exercise Uncertainties identified from clinicians' questions identified Exercise This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 Do support surfaces prevent further tissue Devices Uncertainties identified from clinicians' questions identified from c														
Do pressure stretches such as physiotherapy 415584 improve pressure ulcer healing? Do staffing levels have an impact on the 415530 incidence of pressure ulcers? Do support surfaces help pressure ulcers to 415544 heal? Do support surfaces prevent further tissue Devices		specialist centres compared to generalist								ulcer treatment at specialist centres compared to generalist				
415584 improve pressure ulcer healing? clinicians' questions identified Exercise Uce Do staffing levels have an impact on the 415530 incidence of pressure ulcers? clinicians' questions identified from clinicians' questions identified Service delivery submitted the following number of times in the survey: 2 Do support surfaces help pressure ulcers to 41554 heal? Clinicians' questions identified Service delivery Uncertainty. This or a similar uncertainty was clinicians' questions identified from clinicians' questions identified with the following number of times in the survey: 3 Devices Uncertainty as submitted the following number of times in the survey: 3 Ulcertainties identified from clinicians' questions identified from clinicians' questions identified with the following number of times in the survey: 3 Ulcertainties identified from clinicians' questions identified from clinicians' questions identified with the following number of times in the survey: 3 Ulcertainties identified from clinicians' questions identified from clinicians' questions identified from clinicians' questions identified from clinicians' questions identified with the following number of times in the survey: 3 Ulcertainties identified from clinicians' questions identified from clinicians' questions identified from clinicians' questions identified with the following number of times in the survey: 3 Ulcertainties identified from clinicians' questions identified from clinicians' questions identified from clinicians' questions identified with the following number of times in the survey: 3 Ulcertainties identified from clinicians' questions identified fro	415503	services?	patients' questions	identified		Service delivery		+		services?	 			Ulcer healing
Do staffing levels have an impact on the 415530 incidence of pressure ulcers? Do support surfaces help pressure ulcers to 415540 heal? Do support surfaces prevent further tissue Do support surfaces help pressure ulcers to 415540 heal? Do support surfaces prevent further tissue Do support surfaces prevent further tissue Devices This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 Ulce														
415530 incidence of pressure ulcers? clinicians' questions identified Service delivery submitted the following number of times in the survey: 2 Do support surfaces help pressure ulcers to Uncertainties identified from 415544 heal? Clinicians' questions identified from boursels and the following number of times in the survey: 2 This is an indicative uncertainty. This or a similar uncertainty was clinicians' questions identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3 Ulcertainties identified from boursels and the following number of times in the survey: 3	415584			idontinod		Exercise		+		This is an indicative uncertainty. This or a similar uncertainty was				Ulcer healing
41554 heal? clinicians' questions identified Devices submitted the following number of times in the survey: 3 Ulca	415530	incidence of pressure ulcers?	clinicians' questions	identified		Service delivery				submitted the following number of times in the survey: 2				Prevention
Do support surfaces prevent further tissue	415544					Devices		T		This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3				Ulcer healing
		Do support surfaces prevent further tissue				220				The state of the s				
			Uncertainties identified from	No relevant systematic reviews		Devices								Secondary prevention

entifier	Title	Where were uncertainties	Why is there uncertainty?	Final rank of question after workshop	Which types of	Which types of treatments? 2	Which types of	Which types of	Original uncertainty	References to reliable up-to-date systematic reviews	Systematic reviews in preparation at time of	Systematic reviews that need updating or extending at time of PSP	Which outcomes?
		Home		workshop	realinents: 1	treatments? 2	treatments? 3	treatments? 4		Teviews	ror	extending at time of FSF	William outcomes?
415555	Does access to a specialist wound prevention service improve pressure ulcer prevention?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified	S	Service delivery				This submission was a variation of one which was prioritised. Priority 5				Prevention
10000	sorvice impreve procedure areas prevention:	omnorano quodiono	Idonanioa		2011100 00111019				i noncy o		Moore ZEH,Webster J. Dressings and topical		i iovonacii
											agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10.		
	Does applying methylated spirits to skin help								This submission was a variation of one which was prioritised.		Art. No.: CD009362. DOI:		
115619	prevent ulcers?	carers' questions	identified		Drug	-	-	-	Priority 12		10.1002/14651858.CD009362.		Prevention
	Does best practice in treatment take into												
	consideration the range of risk from transient problem as the result of an operation to a	Uncertainties identified from	No relevant systematic reviews										
415684	lifetime of risk for those with spinal injury?	patients' questions	identified	S	Service delivery								Ulcer Healing
415624	Does carer/family involvement in pressure	Uncertainties identified from	No relevant systematic reviews identified	E	ducation and				This submission was a variation of one which was prioritised.				D
415624	ulcer prevention improve prevention? Does debridement promote healing in patients	carers' questions Uncertainties identified from	No relevant systematic reviews	t	raining Physical	+			Priority 2		1	+	Prevention
415577	with pressure ulcers?	clinicians' questions	identified		herapies	Surgery							Ulcer Healing
			Reliable up-to-date systematic							McInnes E, Jammali-Blasi A, Bell-Syer SEM, Dumville JC, Cullum N. Support surfaces for			
			reviews have revealed							pressure ulcer prevention. Cochrane Database of			
	Does extending the use of pressure relieving mattresses on general wards improve	Uncertainties identified from	important continuing uncertainties about treatment							Systematic Reviews 2011, Issue 4. Art. No.: CD001735. DOI:			
	prevention?	clinicians' questions	effects		Devices					10.1002/14651858.CD001735.pub4.			Prevention
			1									Langer G, Knerr A, Kuss O, Behrens J, Schl?mer GJ. Nutritional interventions for	
			1									preventing and treating pressure ulcers.	
			1						The state of the s			Cochrane Database of Systematic Reviews	
			1						This submission was a variation of one which was prioritised. Priority =10 This submission was a variation of one which was			2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 Sampson EL.	
			1						prioritised. Priority 10 This is an indicative uncertainty. This or a			Candy B, Jones L. Enteral tube feeding for	
	Does improved nutrition and hydration		1						similar uncertainty was submitted the following number of times in the survey: 7 This uncertainty was also suggested for the			older people with advanced dementia. Cochrane Database of Systematic Reviews	
	promote prevention in people at risk of	Uncertainties identified from							following patients and interventions:[+micro-nutrients +high			2009, Issue 2. Art. No.: CD007209. DOI:	
15523	pressure ulcers?	clinicians' questions	reviews are not up-to-date	[Diet	1	1	+	protein diet] This is an indicative uncertainty. This or a similar uncertainty was		 	10.1002/14651858.CD007209.pub2	Prevention
									submitted the following number of times in the survey: 3 This]			
115010	Doop improving dist seemets have a		No relevant systematic reviews	_	Diet				uncertainty was also suggested for the following patients and				I lloor I leeli : :
15643	Does improving diet promote healing?	carers' questions	identified		Diet	+	1	1	interventions:[+nutritional supplements]	1	 	Langer G, Knerr A, Kuss O, Behrens J,	Ulcer Healing
												Schl?mer GJ. Nutritional interventions for	
												preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews	
												2003, Issue 4. Art. No.: CD003216. DOI:	
												10.1002/14651858.CD003216 Sampson EL, Candy B, Jones L. Enteral tube feeding for	
			1									older people with advanced dementia.	
			1									Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI:	
			1									10.1002/14651858.CD007209.pub2 Stratton R	
			1									J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe	
			1									R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a	
			1									systematic review and meta-analysis. Ageing	
			1									Research Reviews 2005; 4(3): 422-450;	
			1									Reddy M, Gill S S, Kalkar S R, Wu W, Anderson P J, Rochon P A. Treatment of	
	Does improving nutrition and hydration help in								This is an indicative uncertainty. This or a similar uncertainty was	s		pressure ulcers:a systematic review. JAMA	
	the healing of pressure ulcers? Does increased patient awareness of Tissue	patients' questions	reviews are not up-to-date		Diet	-		-	submitted the following number of times in the survey: 3			2008; 300(22): 2647-62	Ulcer healing
	Viability Nurses services improve pressure	Uncertainties identified from	No relevant systematic reviews										
415591	ulcer healing? Does increasing the number of specialist	clinicians' questions	identified		Service delivery	1			<u> </u>				Ulcer healing
	Tissue Viability Nurses improve prevention of	Uncertainties identified from	No relevant systematic reviews										
415554	pressure ulcers?	clinicians' questions	identified		Service delivery	-	1	1					Prevention
	Does increasing the number of specialist	Uncertainties identified from	No relevant systematic reviews										
415590	Tissue Viability Nurses improve ulcer healing?	clinicians' questions	identified		Service delivery					Moore ZEH, Cowman S. Repositioning for		-	Ulcer healing
			Reliable up-to-date systematic							treating pressure ulcers. Cochrane Database of			
			reviews have revealed							Systematic Reviews 2012, Issue 9. Art. No.:			
	Does one day in bed and three back using your wheelchair change the rate of healing	Uncertainties identified from	important continuing uncertainties about treatment		Physical					CD006898. DOI: 10.1002/14651858.CD006898.pub3. Searches			
15547	compared to bed rest?	clinicians' questions	effects	t	herapies					done May 2012.			Speed of ulcer heali
			1						This submission was a variation of one which was prioritised. Priority 9 This is an indicative uncertainty. This or a similar				
									uncertainty was submitted the following number of times in the				
	Doog regular turning of antique to the te	Uncortainties idea(** - 1.6	No relevent content to	.	Obvios-1				survey: 7 This uncertainty was also suggested for the following				
15543	Does regular turning of patients in beds promote healing of pressure ulcers?	clinicians' questions	No relevant systematic reviews identified		Physical herapies				patients and interventions:[+spinal injuries +compared to dressings]				Ulcer healing
	Does setting targets effectively reduce the	Uncertainties identified from	No relevant systematic reviews			1							
+15559	incidence of pressure ulcers?	clinicians' questions	identified		Service delivery	+	<u> </u>	-	+	Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft	 	+	Prevention
									Pressure Ulcer Ranked 3 This is an indicative uncertainty. This	DR. Effectiveness of organisational			
									or a similar uncertainty was submitted the following number of times in the survey:33 Does the education of health and social	infrastructures to promote evidence-based nursing practice. Cochrane Database of			
	Does the education of health and social care								care staff on prevention lead to a reduction in the incidence of	Systematic Reviews 2012, Issue 2. Art. No.:			
	staff on prevention lead to a reduction in the		No relevant systematic reviews		Education and				pressure ulcers and, if so, which are the most effective education				Droversia-
4450	incidence of pressure ulcers?	clinicians' questions	identified	t	raining	+	<u> </u>	1	programmes (at organisational and health/social care level)?	DOI:10.1002/14651858.CD002212.pub2.	 	1	Prevention
	Does the labelling of patients or their families		No relevant systematic reviews										
	Does the labelling of patients or their families as difficult or non-compliant impact on	Uncertainties identified from		19	Service delivery	-	-	+	1		-	-	Prevention
	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention?	Uncertainties identified from patients' questions	identified					1			1	1	Ī
415659	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on	patients' questions Uncertainties identified from	identified No relevant systematic reviews										
415659	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes?	patients' questions	identified	\$	Service delivery								Prevention
415659	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on	patients' questions Uncertainties identified from	identified No relevant systematic reviews identified No relevant systematic reviews	5	Service delivery								Prevention
415659 415658 415679	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention?	patients' questions Uncertainties identified from patients' questions	identified No relevant systematic reviews identified	5	Service delivery								Prevention Prevention
415659 415658 415679	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist	patients' questions Uncertainties identified from patients' questions Uncertainties identified from patients' questions	Identified No relevant systematic reviews identified No relevant systematic reviews identified	5									
415659 415658 415679	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist	patients' questions Uncertainties identified from patients' questions Uncertainties identified from	identified No relevant systematic reviews identified No relevant systematic reviews	5									
415659 415658 415679	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention?	patients' questions Uncertainties identified from patients' questions Uncertainties identified from patients' questions Uncertainties identified from Uncertainties identified from Uncertainties identified from	Identified No relevant systematic reviews identified No relevant systematic reviews identified No relevant systematic reviews No relevant systematic reviews	5	Service delivery				This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the surger 3 This	5			Prevention
115659 115658 115679	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention?	patients' questions Uncertainties identified from patients' questions Uncertainties identified from patients' questions Uncertainties identified from Uncertainties identified from Uncertainties identified from	Identified No relevant systematic reviews identified No relevant systematic reviews identified No relevant systematic reviews No relevant systematic reviews	5	Service delivery				This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and	S			Prevention
115659 115658 115679 115685	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist units to more general settings result in better treatment outcomes? Does the use of skin care regimes diminish	patients' questions Uncertainties identified from	Identified No relevant systematic reviews	5	Service delivery				submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and interventions: [+in patients with incontinence] [+heel pressure	S			Prevention Ulcer Healing
115659 115658 115679 115685	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settlings result in better pressure ulcer prevention? Does the transfer of expertise from specialist units to more general settlings result in better treatment outcomes?	patients' questions Uncertainties identified from	Identified No relevant systematic reviews identified	5	Service delivery				submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and interventions: [+in patients with incontinence] [+heel pressure ulcers]				Prevention
\$15659 \$15658 \$15679 \$15685	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist units to more general settings result in better treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better treatment outcomes?	patients' questions Uncertainties identified from clinicians' questions	Identified No relevant systematic reviews identified	5	Service delivery Service delivery				submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and interventions: [+in patients with incontinence] [+heel pressure ulcers] This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This				Prevention Ulcer Healing
115659 115658 115679 115685	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist units to more general settings result in better treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better treatment outcomes? Does the use of skin care regimes diminish the likelihood of pressure ulcer occurrence? Does the way a bed is made or the type of	patients' questions Uncertainties identified from clinicians' questions Uncertainties identified from Uncertainties identified from Clinicians' questions	Identified No relevant systematic reviews identified	5	Service delivery Service delivery Service delivery				submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and interventions: [+in patients with incontinence] [+heel pressure ulcers] This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following patients and				Prevention Ulcer Healing Prevention
415659 415658 415679 415685 415519	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist units to more general settings result in better treatment outcomes? Does the use of skin care regimes diminish the likelihood of pressure ulcer occurrence? Does the way a bed is made or the type of bedding have an impact on ulcer healing?	patients' questions Uncertainties identified from clinicians' questions	Identified No relevant systematic reviews identified	5	Service delivery Service delivery				submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and interventions: [+in patients with incontinence] [+heel pressure ulcers] This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This				Prevention Ulcer Healing
415659 415658 415679 415685 415519	Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer prevention? Does the labelling of patients or their families as difficult or non-compliant impact on pressure ulcer treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better pressure ulcer prevention? Does the transfer of expertise from specialist units to more general settings result in better treatment outcomes? Does the transfer of expertise from specialist units to more general settings result in better treatment outcomes? Does the use of skin care regimes diminish the likelihood of pressure ulcer occurrence? Does the way a bed is made or the type of	patients' questions Uncertainties identified from clinicians' questions Uncertainties identified from Uncertainties identified from Clinicians' questions	Identified No relevant systematic reviews identified	S S S S S S S S S S S S S S S S S S S	Service delivery Service delivery Service delivery	Devices	Physical therapies	Surgery	submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and interventions: [+in patients with incontinence] [+heel pressure ulcers] This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following patients and				Prevention Ulcer Healing Prevention

effective is patient education in ulceral 15576 greating person with a pressure ulcer from 15576 person person with a pressure ulcer, from 15576 person person with a pressure ulcer, from 15576 person person with a pressure ulcer, from 15576 person person with a person person with a pressure ulcer, from 15576 person person with person person with a person person with person perso	James	Lind Alliance Pressure Ulcer PS						 				T	
Part	Identifier	Title		Why is there uncertainty?					Original uncertainty				Which outcomes?
Marche M	racminer			y is there uncertainty?	WOIKSHIDD	outmitting [umcino(Z	 	ongur uncertainty			ontolium at title of F or	
Part	415575	effective is patient education in ulcer prevention in changing ulcer size and depth?				Education and training							Reducing the number of dressing changes an ulcer requires
Property of the content of the con	415595	effective is staff education in promoting ulcer											Ulcer healing
Company	415574	effective are wound dressings at reducing the				Devices							Reducing the number of dressing changes an ulcer requires
		For any person with an existing pressure ulcer how effective are wound dressings in preventing the development of pressure	Uncertainties identified from	No relevant systematic reviews									
Part	415576	ulcers?	clinicians' questions	identified		Devices				Flodgren G, Rojas-Reves MX, Cole N. Foxcroft			Secondary prevention
Part of Control Cont	415458	effective is staff education in preventing		reviews have revealed important continuing uncertainties about treatment						DR. Effectiveness of organisational infrastructures to promote evidence-based nursing practice. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD002212.			Value for money to the
Property		For any person with pressure ulcers how effective is staff education in reducing the	Uncertainties identified from	No relevant systematic reviews		Education and				TE PAGE			Reducing the number of changes an ulcer requires
Add	110100	For any person with pressure ulcers would				Ŭ							
Property of the first of the control of the contr	415464												changes an ulcer requires
Procession of the control of the c	415552	how effective is their involvement in understanding concordance to				Education and training			and interventions:For carers of patients at risk of pressue ulcers how effective is their involvement in understanding concordance to recommendations (like turning regimes, diet, fluids) to prevent				Prevention
Company Comp		For carers of people at risk of developing	7										
Part Continue Co	415625	of information in preventing the development								McInnes F. Jammali.Rlasi A. Roll. Suor SEM			Prevention
Control of the cont	415420	users how effective are different types of		reviews have revealed important continuing uncertainties about treatment		Devices			Priority 4This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the	Dumville JC, Cullum N. Support surfaces for pressure ulcer prevention. Cochrane Database of Systematic Reviews 11,Issue 4. Art. No.: CD001735. DOI:			Prevention
Property of the control of the con		For overweight people how effective is weight	Uncertainties identified from			Diet			This is an indicative uncertainty. This or a similar uncertainty was	,			
Francisco control in the decrease of the control in the decrease of the control in the control i		For patients at risk of developing pressure ulcers how effective are Tilt-in-space	Uncertainties identified from	No relevant systematic reviews		Devices			g named of arrow Hills surrey. 2				
Seption of this right of the state of the st		For patients confined to bed, does treating with washing, surgical spirit and/or talcum powder at all pressure areas prevent the occurrence of pressure ulcers and at what	Uncertainties identified from	No relevant systematic reviews		Devices			Priority 12This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following		agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:		
Segment when the first sign goes labeled as segment of the segment	415438		patients' questions	identified		Drug			patients and interventions: [+ four to six hourly]		10.1002/14651858.CD009362.		Prevention
Fig. 2007 of the control of the cont	415496	pressure ulcers how thickly should lodosorb				Drug							Ulcer healing
A Seed of the Control		For patients with pressure ulcers how					İ	İ					
Securing and the first of the same of securing of the securing of the securing patients and the	415495	skin to treat pressure ulcers? For patients with pressure ulcers how effective is their involvement in understanding	patients' questions										Ulcer healing
From prietre with promous and any and in the second	415588	recommendations like turning regimes, diet							This is an indicative uncertainty. This or a similar uncertainty uncertainty.				Ulcer healing
Properties with relaced modelly due to expendence with relaced modelly due to make all substitutions are made of benchmark and modelly as to expendence with the modelling of th	415456					Drug			submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following patients and interventions:[+tetraplegia +recovering from stroke]				Ulcer related pain
For people at first of evidence are the project of people and for evidence are the project of people and for evidence are the project of people and for evidence are the project of people and for evidence are the project of people and for evidence are the project of people and for evidence are the project of groups and construction of groups an	44555	Multiple sclerosis or Spinal Injury and loss of subcutaneous tissue across their buttocks, which static wheelchair cushion is most				Dovices			and interventions:For patients with reduced mobility due to Multiple sclerosis or Spinal Injury and loss of subcutaneous tissue across their buttocks, which static wheelchair cushion is most effective at preventing pressure ulcers - foam/gel/memory				Proventice
defects developing precase (see sin prevention of precase Uses in prevention of precase use of prevention of precase use uses in prevention of precase use of prevention of precase use uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of precase users. Contract Uses in prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the prevention of the preven	410565	For people at risk of developing a pressure ulcer how effective are the types of beds or		Reliable up-to-date systematic reviews have revealed important continuing		Devices				Dumville JC, Cullum N. Support surfaces for pressure ulcer prevention. Cochrane Database of Systematic Reviews 2011, Issue 4. Art. No.:			1 TEVERIBUIT
Uses how effective is exhaustion to largy curses in presentation of the present use of presentation of the present use of presentation of the present use of presentation of the present use of presentation of the present user of the present user of the present user of the present user of the present user of the present user of the present user of the pre	415457	ulcer-related pain?				Devices							Ulcer-related pain.
acres in prevention of pressure uclores including signs to book for it a pressure uclor. The submission was a variation of one which was principled, protein prevention of protein and protein and the desired questions. For people at thick discharge pressure uclors for prevention of electric questions as the effectiveness of preventions. In the coordinate of systematic reviews are not updated in the protein and prevention of prevent		ulcers how effective is education for lay			<u></u> _								
For people at risk of developing pressure ubors what is the effectiveness of ubors what is the effectiveness of ubors what is the effectiveness of ubors what is the effectiveness of ubors of the property of tending pressure ubors. Cochrame between 2014, Issue 1 1, 14589 control of the property of tending pressure ubors. Cochrame between 2014, Issue 1 1, 14589 control of the property of tending pressure ubors. Cochrame between 2014, Issue 1 1, 14589 control of the property of tending pressure ubors. Cochrame between 2014, Issue 1 1, 14589 control of the property of tending pressure ubors. In the provention of ubors of the property of the property of tending pressure ubors. In the provention of the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the property of the effective and the effective	415475	carers in prevention of pressure ulcers including signs to look for if a pressure ulcer							Priority 2This uncertainty was also suggested for the following				Prevention
415482 presented art fixed development ulcers, now effective are defined from patients questions effective are defined from patients questions of the ulcer (a fixed of beet under pressure ulcers). 415428 presented a fixed of beet under pressure ulcers from patients questions are designed from patients questions. 415428 presented of the productor are defined from patients questions. 415428 prevention of productor are defined from patients questions. 415428 prevention of productor are defined from patients questions. 415428 prevention of productor are defined from patients questions. 415428 prevention of these ulcers from the prevention of patients questions. 415428 prevention of the ulcers from the prevention of patients questions. 415428 prevention pressure ulcers from ulcers from the prevention of the ulcers from patients questions. 415428 prevention pressure ulcers from ulcers from patients questions. 415428 prevention pressure ulcers from the prevention of the ulcers from patients questions. 415428 prevention pressure ulcers from the prevention of the ulcers from patients questions. 415428 prevention pressure ulcers from the prevention of the ulcers from patients questions. 415428 prevention pressure ulcers from the prevention of the ulcers from the ulcers from the prevention of the ulcers from		ulcers what is the effectiveness of electrotherapy to develop muscle in potential				Physical					Electrical stimulation for chronic wounds. Cochrane Database of Systematic Reviews 2004, Issue 1. Art. No.: CD004550. DOI:	CullumNA,OlyaeeManesh A. Electromagnetic therapy for treating pressure ulcers. Cochrane Database of Systematic Reviews 2010, Issue 11. Art. No.: CD002930. DOI:	
ulcers, how effective is reconstructive surgery to restore body fat in the prevention of 415489 pressure ulcers? Uncertainties identified from patients questions patients questions at 15489 pressure ulcers how effective are different help protections at 415425 preventing pressure ulcers a very find the prevention of the pressure ulcers how effective are different help protections at 415425 preventing pressure ulcers a very find the pressure ulcers and interventions; in imaginary that the pressure ulcers are understand to the pressure ulcers and interventions; in imaginary that the pressure ulcers are understand to the pressure ulcers and interventions; including those with hymphodemal, tow effective are understand towards and the pressure ulcers and interventions; including the pressure ulcers and interventio	415491		patients' questions			therapies	Devices				10.1002/14651858.CD004550.	10.1002/14651858.CD002930.pub4.	Prevention
Reliable up-to-date systematic reviews have revealed submitted from patients and interventions: (+ immobile) For people at risk of heel pressure ulcers? For people at risk of preventing pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers of most preventing pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers of most preventing pressure ulcers? For people at risk of pressure ulcers of most preventing pressure ulcers? For people at risk of pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of most preventing pressure ulcers of preventing pre	415489	ulcers, how effective is reconstructive surgery to restore body fat in the prevention of	Uncertainties identified from patients' questions			Surgery				Melance E. Jammeli Placi A. Dell Corre CEA			Prevention
For people at risk of heel ulcers [including those with lymphedema], how effective are specialist boot and shoe design and fitting at 415428 preventing pressure ulcers? For people at risk of pressure ulceration in hospital, how effective is increased mobilisation (e.g., spending less time in bed), at 15468 in preventing pressure ulcers? For people at risk of pressure ulceration in hospital, how effective is increased mobilisation (e.g., spending pressure ulcers and living at home, how effective would an increase be in frequency of how evisits at reducing under the following number of times in the survey: 2 Gillespie BM, Chaboyer E, Kent B, Whitty JA. Repositioning for pressure ulcers in the survey: 2 Gillespie BM, Chaboyer E, Kent B, Whitty JA. Repositioning for pressure ulcers prevention in adults. Cochrange Systematic reviews patients' questions Uncertainties identified from by one visits at reducing under the ducing under the following number of times in the survey: 2 Gillespie BM, Chaboyer E, Kent B, Whitty JA. Repositioning for pressure ulcers prevention in adults. Cochrange Systematic Reviews 2012, Issue 7. Art. No.: CD009958. DOI: 10.1002/14651858.CD009958. Prevention For people at risk of pressure ulcers and living at home, how effective would an increase be in frequency of home visits at reducing under the following number of times in the survey: 2 Gillespie BM, Chaboyer E, Kent B, Whitty JA. Repositioning for pressure ulcers for prevention in adults. Cochrange Systematic reviews 2012, Issue 7. Art. No.: CD009958. DOI: 10.1002/14651858.CD009958.	115	effective are different heel protectors at		reviews have revealed important continuing uncertainties about treatment		Device			submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and	Dumville JC, Cullum N. Support surfaces for pressure ulcer prevention. Cochrane Database of Systematic Reviews 11, Issue 4. Art. No.: CD001735. DOI:			Draw and in
415428 preventing pressure ulcers? patients' questions identified Devices submitted the following number of times in the survey: 2 For people at risk of pressure ulcer adults. Cochrane Database of Systematic Reviews mobilisation (e.g., spending less time in bed), at 15468 preventing pressure ulcers? 415468 preventing pressure ulcers? 415468 preventing pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers? For people at risk of pressure ulcers and living at home, how effective would an increase be in frequency of home visits at reducing Uncertainties identified from Vor elevant systematic reviews Uncertainties identified from Vor elevant systematic reviews Uncertainties identified from Vor elevant systematic reviews Uncertainties identified from Vor elevant systematic reviews	415425	For people at risk of heel ulcers [including those with lymphedema], how effective are				Dévices				·			rrevention
hospital, how effective is increased mobilisation (e.g., spending less time in bed), 415488 in preventing pressure ulcers? For people at risk of pressure ulcers and living at home, how effective would an increase be in frequency of home visits at reducing uncertainties identified from living at home provided in the preventing of home visits at reducing uncertainties identified from love visits and visits at reducing uncertainties identified from love visits and visits and visits and visits and visits and visits and visits and v	415428	preventing pressure ulcers?				Devices							Prevention
For people at risk of pressure ulcers and living at home, how effective would an increase be in frequency of home visits at reducing Uncertainties identified from No relevant systematic reviews	445400	hospital, how effective is increased mobilisation (e.g., spending less time in bed),									adults. Cochrane Database of Systematic Reviews 2012, Issue 7. Art. No.: CD009958. DOI:		Decreation
in frequency of home visits at reducing Uncertainties identified from No relevant systematic reviews	415468	For people at risk of pressure ulcers and living	patients' questions	Identified		therapies					10.1002/14651858.CD009958.		Prevention
TOVINO	415560	in frequency of home visits at reducing				Service delivery							Prevention

	Lind Alliance Pressure Ulcer PS												
l-ltiti	Title	Where were uncertainties from?	Miles in these secondaries.2	Final rank of question after		Which types of	Which types of		Original consensations	References to reliable up-to-date systematic	Systematic reviews in preparation at time of	Systematic reviews that need updating or	Which cutcomes?
Identifier	For people at risk of pressure ulcers at home	trom?	Why is there uncertainty?	workshop	treatments? 1	treatments? 2	treatments? 3	treatments? 4	Original uncertainty	reviews	PSP	extending at time of PSP	Which outcomes?
	reliant on lay carers, what is the most												
415471	effective and carer-friendly turning schedule for preventing pressure ulcers?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Service delivery								Prevention
413471	For people at risk of pressure ulcers does	patients questions	Identified		Service delivery								Frevention
415557	access to a specialist service improve pressure ulcer prevention?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Service delivery								Prevention
415557	For people at risk of pressure ulcers how	clinicians questions	Identified		Service delivery							1	Prevention
	effective are methods for patients to check	Uncertainties identified from	No relevant systematic reviews		Education and				This uncertainty was also suggested for the following patients				
415488	own skin in preventing pressure ulcers? For people at risk of pressure ulcers with	patients' questions	identified		training	Service delivery			and interventions: [include use of smart phones]				Prevention
	mobility impairment, how effective are drugs												
	for pain relief at preventing pressure ulcers	Uncertainties identified from	No relevant systematic reviews										
415484	through increased mobility? For people at risk of pressure ulcers, does	patients' questions	identified		Drug		<u> </u>						Prevention
	proper bed making help reduce pressure	Uncertainties identified from	No relevant systematic reviews		Physical				This uncertainty was also suggested for the following patients				
415485	ulcers?	patients' questions	identified		therapies				and interventions:e.g. removing wrinkles from the bottom sheet?				Prevention
			Reliable up-to-date systematic reviews have revealed							Moore ZEH, Cowman S. Risk assessment tools for the prevention of pressure ulcers. Cochrane			
	For people at risk of pressure ulcers, what is		important continuing							Database of Systematic Reviews 2008, Issue 3.			
	the best rating scale for assessing Pressure	Uncertainties identified from	uncertainties about treatment							Art. No.: CD006471. DOI:			
415486	ulcer risk? For people at risk of pressure ulcers, what is	patients' questions	effects		Diagnostic		<u> </u>			10.1002/14651858.CD006471.pub2			Prevention
	the impact of patient-focused education on	Uncertainties identified from	No relevant systematic reviews		Education and								
415670	the prevention of pressure ulcers?	patients' questions	identified		training					Figure O. Deire De control			Prevention
										Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft DR. Effectiveness of organisational			
			Reliable up-to-date systematic							infrastructures to promote evidence-based			
			reviews have revealed							nursing practice. Cochrane Database of			
	For people in care homes how effective is having a wound care champion in reducing	Uncertainties identified from	important continuing uncertainties about treatment							Systematic Reviews 2012, Issue 2. Art. No.: CD002212. DOI:			
415558	pressure ulcers?	clinicians' questions	effects		Service delivery	<u> </u>	<u> </u>	<u> </u>		10.1002/14651858.CD002212.pub2.	<u> </u>	<u> </u>	Prevention
					ĺ					Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft			
1			Reliable up-to-date systematic					1	This is an indicative uncertainty. This or a similar uncertainty was	DR. Effectiveness of organisational			
	For people in hospital at risk of developing		reviews have revealed					1	submitted the following number of times in the survey: 5 This	nursing practice. Cochrane Database of			1
	pressure ulcers is the current organisation of		important continuing						uncertainty was also suggested for the following patients and	Systematic Reviews 2012, Issue 2. Art. No.:			
A1E404	nursing care effective as best practice in the prevention of pressure ulcers?		uncertainties about treatment effects		Service deliver			1		CD002212. DOI:10.1002/14651858.CD002212.pub2.			Prevention
410431	For people reliant on wheelchairs, which	patients' questions	- CITCUIS		Service delivery	1	†	 	and consistency of approach]	DOI: 10.1002/14031030.GD002212.pub2.	1	 	Prevention
		Uncertainties identified from	No relevant systematic reviews										
415467	pressure ulcers?	patients' questions	identified Reliable up-to-date systematic		Devices	1	 	 	+	McInnes E, Dumville JC, Jammali-Blasi A, Bell-	-	 	Prevention
			reviews have revealed					1	This submission was a variation of one which was prioritised.	Syer SEM. Support surfaces for treating pressure			
	For people sitting on a pressure ulcer are	<u>.</u>	important continuing					1	Priority 7This is an indicative uncertainty. This or a similar	ulcers. Cochrane Database of Systematic			
A1E 4E0	pressure relieving cushions an effective	Uncertainties identified from	uncertainties about treatment		Dovices			1	uncertainty was submitted the following number of times in the	Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490			I lloor booling
415453	alternative to bed rest?	patients' questions	enects		Devices	1	 	 	survey: 2	DOI: 10.1002/14051858.CD009490	1	1	Ulcer healing
	For people who are bed bound as a result of							1					
44507	pressure ulcers, does support and bed	Uncertainties identified from	No relevant systematic reviews		E	Dharicald		1					
415640	coaching aid recovery from pressure ulcers?	carers questions	identified		Exercise	Physical therapies	1	 	+			Beeckman D, Schoonhoven L, Verhaeghe S,	Ulcer Healing
								1				Heyneman A, Defloor. Prevention and	
	For people who are incontinent and at risk of							1				treatment of incontinence-associated	
	pressure ulcers, do cheap incontinence pads cause more irritation compared to expensive	Uncertainties identified from	Existing relevant systematic					1			1	dermatitis: literature review. Journal of Advanced Nursing 2009; 65 (6): 1141-54	
415616		carers' questions	reviews are not up-to-date		Devices	<u> </u>	<u></u>	<u></u> _				PMID: 19374674	Prevention
									This submission was a variation of one which was prioritised.				
									Priority 1This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the				
									survey: 5 This uncertainty was also suggested for the following		Gillespie BM, Chaboyer WP, McInnes E, Kent B,		
									patients and interventions:[+with Multiple Sclerosis, SI, polio]		Whitty JA. Repositioning for pressure ulcer		
	For people who are reliant on wheelchairs how effective is repositioning in preventing	Uncertainties identified from	No relevant systematic reviews		Physical				[+transferring between chairs, lifting off cushion] [+How often should it be done? How does it affect ability to undertake normal		prevention in adults. Cochrane Database of Systematic Reviews 2012, Issue 7. Art. No.:		
415422		patients' questions	identified		therapies				activities?]		CD009958. DOI: 10.1002/14651858.CD009958.		Prevention
	For people with a bony ischial tuberosity, is it												
415400	effective to operate to make it flatter in order to prevent a pressure ulcer?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Surgery								Prevention
413430	to prevent a pressure dicer:	patients questions	Identified		Ourgery		1		This uncertainty was also suggested for the following patients				1 TCVCHILOTT
	For people with a spinal injury and pressure								and interventions:For people with a spinal injury and pressure				
415400	ulcers how effective is keeping active in promoting ulcer healing?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Exercise	Physical therapies			ulcers how effective is keeping active (for example taking part in sport) in promoting ulcer healing?				Ulcer healing
+10499	For people with an existing pressure ulcer	Uncertainties identified from	No relevant systematic reviews		-ACIOISE	. riyorour trierapies	1	1	sporty in promoting door nearing:				c.oci ricantiy
415603	how effective are drugs for pain relief?	clinicians' questions	identified		Drug	ļ	ļ			51- 1 O D.:			Ulcer related pain
								1		Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft DR. Effectiveness of organisational			
			Reliable up-to-date systematic					1		infrastructures to promote evidence-based			
	L		reviews have revealed					1		nursing practice. Cochrane Database of	1		
	For people with an existing pressure ulcer how effective is staff education in preventing	Uncertainties identified from	important continuing uncertainties about treatment		Education and			1		Systematic Reviews 2012, Issue 2. Art. No.: CD002212.			1
415602	ulcer related infection?	clinicians' questions	effects		training	<u> </u>	<u></u>	<u></u> _		DOI:10.1002/14651858.CD002212.pub2.			Ulcer related infection
	For people with blister pressure ulcers is it	Uncertainties identified from	No relevant systematic reviews		Physical								
415498	more effective to remove the serum? For people with contracted limbs, how	patients' questions	identified		therapies	1	-	-	+				Ulcer healing
	effective are standard prevention techniques	Uncertainties identified from	No relevant systematic reviews					1	This submission was a variation of one which was prioritised.				
415627	and equipment?	carers' questions	identified		Service delivery		1		Priority 4	1100000			Prevention
										McGinnis E, Stubbs N. Pressure-relieving devices for treating heel pressure ulcers. Cochrane	· ·		
								1		Database of Systematic Reviews 2011, Issue 9.			
1	İ							1		Art. No.: CD005485.	1		
					İ	1	I	1		DOI:10.1002/14651858.CD005485.pub2 McInnes E, Dumville JC, Jammali-Blasi A, Bell-Syer SEM.			
			Poliable up to data avetamati-		1	1	1		1	IL. DUITVIILE JO. Janiniail-DidSi A. Dell-SVef SEM.	1		1
			Reliable up-to-date systematic reviews have revealed							Support surfaces for treating pressure ulcers.			
	For people with heel pressure ulcers is it more		reviews have revealed important continuing							Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011,			
445500	effective to support the leg compared to not	Uncertainties identified from	reviews have revealed important continuing uncertainties about treatment		Physical					Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI:			Ulasakaslisa
415599	effective to support the leg compared to not supporting the leg to aid ulcer healing?	Uncertainties identified from clinicians' questions	reviews have revealed important continuing		Physical therapies					Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011,	Moore ZEH,Webster J. Dressings and topical		Ulcer healing
415599	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure		reviews have revealed important continuing uncertainties about treatment							Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490	Moore ZEH,Webster J. Dressings and topical agents for preventing pressure ulcers. Cochrane		Ulcer healing
415599	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams	clinicians' questions	reviews have revealed important continuing uncertainties about treatment effects							Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10.		Ulcer healing
	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams (including Conotrane) in preventing pressure	clinicians' questions Uncertainties identified from	reviews have revealed important continuing uncertainties about treatment effects No relevant systematic reviews		therapies				This uncertainty was also suggested for the following patients and interventions: I call skin care	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:		
415599 415482	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams	clinicians' questions	reviews have revealed important continuing uncertainties about treatment effects						This uncertainty was also suggested for the following patients and interventions:Local skin care	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10.		Ulcer healing Prevention
	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams (including Conotrane) in preventing pressure ulcers? For people with limited memory as well as limited mobility would a prompt of routine tool	clinicians' questions Uncertainties identified from patients' questions	reviews have revealed important continuing uncertainties about treatment effects No relevant systematic reviews identified		therapies Drug				and interventions:Local skin care	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:		
415482	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams (including Conotrane) in preventing pressure ulcers? For people with limited memory as well as limited mobility would a prompt of routine tool which reminds people to reposition	clinicians' questions Uncertainties identified from patients' questions Uncertainties identified from	reviews have revealed important continuing uncertainties about treatment effects No relevant systematic reviews identified No relevant systematic reviews		Drug Physical				and interventions:Local skin care This submission was a variation of one which was prioritised.	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:		Prevention
415482	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams (including Conotrane) in preventing pressure ulcers? For people with limited memory as well as limited mobility would a prompt of routine tool	clinicians' questions Uncertainties identified from patients' questions	reviews have revealed important continuing uncertainties about treatment effects No relevant systematic reviews identified No relevant systematic reviews identified		therapies Drug				and interventions:Local skin care	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:	Michael S.M., Porter D. Pountney T.F. Tiltad	
415482	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams (including Conotrane) in preventing pressure ulcers? For people with limited memory as well as limited mobility would a prompt of routine tool which reminds people to reposition themselves help to heal pressure ulcers?	clinicians' questions Uncertainties identified from patients' questions Uncertainties identified from	reviews have revealed important continuing uncertainties about treatment effects No relevant systematic reviews identified No relevant systematic reviews identified Reliable up-to-date systematic reviews reviews have revealed		Drug Physical				and interventions:Local skin care This submission was a variation of one which was prioritised.	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490 Moore ZEH, Cowman S. Repositioning for treating pressure ulcers. Cochrane Database of	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:	Michael S M, Porter D, Pountney T E. Tilted seat position for non-ambulant individuals with	Prevention Ulcer Healing
415482	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams (including Conotrane) in preventing pressure ulcers? For people with limited memory as well as limited mobility would a prompt of routine tool which reminds people to reposition themselves help to heal pressure ulcers?	clinicians' questions Uncertainties identified from patients' questions Uncertainties identified from carers' questions	reviews have revealed important continuing uncertainties about treatment effects No relevant systematic reviews identified No relevant systematic reviews identified Reliable up-to-date systematic reviews have revealed important continuing		Drug Physical therapies				and interventions:Local skin care This submission was a variation of one which was prioritised.	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490 Moore ZEH, Cowman S. Repositioning for treating pressure ulcers. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.:	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:	seat position for non-ambulant individuals with neurological and neuromuscular impairment: a	Prevention Ulcer Healing
415482 415649	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams (including Conotrane) in preventing pressure ulcers? For people with limited memory as well as limited mobility would a prompt of routine tool which reminds people to reposition themselves help to heal pressure ulcers? For people with Multiple Sclerosis and pressure ulcers is posture important in relation	dinicians' questions Uncertainties identified from patients' questions Uncertainties identified from carers' questions Uncertainties identified from carers' questions	reviews have revealed important continuing uncertainties about treatment effects No relevant systematic reviews identified No relevant systematic reviews identified Reliable up-to-date systematic reviews have revealed important continuing uncertainties about treatment		Drug Physical therapies				and interventions:Local skin care This submission was a variation of one which was prioritised.	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490 Moore ZEH, Cowman S. Repositioning for treating pressure ulcers. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD006898. DOI:	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:	seat position for non-ambulant individuals with neurological and neuromuscular impairment: a systematic review. Clinical Rehabilitation	Prevention Ulcer Healing
415482 415649	effective to support the leg compared to not supporting the leg to aid ulcer healing? For people with impaired sensation and incontinence at risk of developing pressure ulcers, how effective are barriers creams (including Conotrane) in preventing pressure ulcers? For people with limited memory as well as limited mobility would a prompt of routine tool which reminds people to reposition themselves help to heal pressure ulcers?	clinicians' questions Uncertainties identified from patients' questions Uncertainties identified from carers' questions	reviews have revealed important continuing uncertainties about treatment effects No relevant systematic reviews identified No relevant systematic reviews identified Reliable up-to-date systematic reviews have revealed important continuing		Drug Physical therapies				and interventions:Local skin care This submission was a variation of one which was prioritised.	Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490 Moore ZEH, Cowman S. Repositioning for treating pressure ulcers. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.:	agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:	seat position for non-ambulant individuals with neurological and neuromuscular impairment: a	Prevention Ulcer Healing

ames	Lind Alliance Pressure Ulcer PS	P uncertainties Where were uncertainties		Final rank of question after	Which types of	Which types of	Which types of	Which types of		References to reliable up-to-date systematic	Systematic reviews in preparation at time of	Systematic reviews that need updating or	1
entifier	Title	from?	Why is there uncertainty?	workshop	treatments? 1		treatments? 3		Original uncertainty	reviews McInnes E, Jammali-Blasi A, Bell-Syer SEM,	PSP	extending at time of PSP	Which outcomes?
			Reliable up-to-date systematic reviews have revealed							Dumville JC, Cullum N. Support surfaces for pressure ulcer prevention. Cochrane Database of			
	For people with Multiple Sclerosis , how	Harrist Street Language	important continuing							Systematic Reviews 2011, Issue 4. Art. No.:			
415628	appropriate and effective is standard pressure relieving equipment?	Uncertainties identified from carers' questions	uncertainties about treatment effects		Devices					CD001735. DOI: 10.1002/14651858.CD001735.pub4			Prevention
	For people with Multiple Sclerosis and pressure ulcers how effective is larval therapy	Uncertainties identified from	No relevant systematic reviews		Physical								
415494	in promoting ulcer healing? For people with Multiple Sclerosis at risk of	patients' questions	identified		therapies								Ulcer healing
	developing pressure ulcers what is the type of												
415459	bed or mattresses that represents value for money to the NHS?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Devices								Value for money to th NHS
	For people with Multiple Sclerosis at risk of pressure ulcers how effective is improving												
115101	hydration in the prevention of pressure ulcers?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Diet								Prevention
413401	For people with Multiple Sclerosis living at	patients questions	luentineu		Diet								rievention
	home and at risk of developing pressure ulcers, what is the most effective prevention												
415476	programme for the rigorously independent who don?t like people intervening on them?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Service delivery								Prevention
	For people with paraplegia and a history of developing severe pressure ulcers, would												
445407	regular check-ups be effective in preventing further ulcer damage?	Uncertainties identified from	No relevant systematic reviews identified		Cardan delicari								Decuestion
415467	For people with paraplegia how effective is	patients' questions	identified		Service delivery								Prevention
		Uncertainties identified from	No relevant systematic reviews		Physical								
415512	pressure ulcers? For people with persistent natal cleft splits	patients' questions	identified		therapies								Prevention
	how effective is allowing patients to sit in a chair in preventing the development of	Uncertainties identified from	No relevant systematic reviews		Physical								1
415564	pressure ulcers?	clinicians' questions	identified		therapies								Prevention
	For people with pressure ulcers and Multiple Sclerosis is bed rest detrimental to mental	Uncertainties identified from	No relevant systematic reviews						This uncertainty was also suggested for the following patients				L
415460	health? For people with pressure ulcers and Multiple	patients' questions	identified		Devices		-		and interventions:Managing patients with limited mobility				Quality of life
	Sclerosis who have been advised to keep moving, is bed rest to treat pressure ulcers	Uncertainties identified from	No relevant systematic reviews		Physical				This submission was a variation of one which was prioritised.				
415653	safe?	carers' questions	identified		therapies				Priority 7				Adverse events
415506	For people with pressure ulcers does smoking affect ulcer healing?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Education and training								Ulcer healing
	For people with pressure ulcers how effective												
415509	are Allevyn standard dressings compared to Allevyn silver dressings in reducing odour?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Devices								Ulcer related odour
110000	For people with pressure ulcers how effective are drugs for pain relief in undertaking normal		No relevant systematic reviews		2011000								Ability to undertake no
415605	activities?	clinicians' questions	identified		Drug								activities
	For people with pressure ulcers how effective are surgical operations to close ulcers in ulcer		No relevant systematic reviews						This submission was a variation of one which was prioritised.				
415582	healing?	clinicians' questions	identified		Surgery				Priority =10			Juli AB, Walker N, Deshpande S. Honey as a	Ulcer healing
												topical treatment for wounds. Cochrane Database of Systematic Reviews 2013, Issue	
												2. Art. No.: CD005083. DOI: 10.1002/14651858.CD005083.pub3	
												Vermeulen H, van Hattem JM, Storm-	
										Dat AD, Poon F, Pham KBT, Doust J. Aloe vera for treating acute and chronic wounds. Cochrane		VerslootMN, Ubbink DT, Westerbos SJ. Topica silver for treating infected wounds. Cochrane	
										Database of Systematic Reviews 2012, Issue 2. Art. No.: CD008762. DOI:		Database of Systematic Reviews 2007, Issue 1. Art. No.: CD005486. DOI:	
			Reliable up-to-date systematic reviews have revealed							10.1002/14651858.CD008762.pub2 Moore ZEH, Cowman S. Wound cleansing for pressure ulcers.		10.1002/14651858.CD005486.pub2. Reddy M, Gill SS, Kalkar SR, Wu W, Anderson PJ,	
			important continuing							Cochrane Database of Systematic Reviews 2005,		Rochon PA. Treatment of pressure ulcers: a	_
415580	For people with pressure ulcers how effective iodine in ulcer healing?	Uncertainties identified from clinicians' questions	uncertainties about treatment effects		Drug					Issue 4. Art. No.: CD004983. DOI: 10.1002/14651858.CD004983.pub2		systematic review. JAMA 2008; 300 (22): 2647 62	Ulcer healing
										Kranke P, Bennett MH, Martyn-St James M, Schnabel A, Debus SE. Hyperbaric oxygen			
			Reliable up-to-date systematic reviews have revealed							therapy for chronic wounds. Cochrane Database of Systematic Reviews 2012, Issue 4. Art. No.:			
	For people with pressure ulcers how effective	Hannataintina identifiad form	important continuing							CD004123. DOI: 10.1002/14651858.CD004123.pub3. Search			
415579	is direct oxygen therapy to wounds in promoting ulcer healing?	Uncertainties identified from clinicians' questions	uncertainties about treatment effects		Devices					done January 2012.			Ulcer healing
			Reliable up-to-date systematic							Aziz Z, Flemming K, CullumNA,OlyaeeManesh A.			
	For people with pressure ulcers how effective		reviews have revealed important continuing							Electromagnetic therapy for treating pressure ulcers. Cochrane Database of Systematic			
415578	is electro-magnetic energy in promoting ulcer healing?	Uncertainties identified from clinicians' questions	uncertainties about treatment effects		Devices					Reviews 2010, Issue 11. Art. No.: CD002930. DOI: 10.1002/14651858.CD002930.pub4			Ulcer healing
410070	For people with pressure ulcers how effective									Bot. 10.1002/14001000.0B002300.pub4			Older ricaling
415510	is staff education in reducing ulcer related odour?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Education and training								Ulcer related odour
	For people with pressure ulcers is it more												
	effective to expose the ulcer to the air/allow a fan to blow on it compared to the application	Uncertainties identified from	No relevant systematic reviews		Physical								1
415493	of dressings to aid ulcer healing?	patients' questions	identified		therapies	Service delivery	1						Ulcer healing
	For people with pressure ulcers is it more effective to keep ulcers moist compared to	Uncertainties identified from	No relevant systematic reviews		Physical								L
415497	dry?	patients' questions	identified Reliable up-to-date systematic		therapies					Moore ZEH, Cowman S. Repositioning for			Ulcer healing
	For people with pressure ulcers using pressure relieving mattresses how effective is		reviews have revealed important continuing							treating pressure ulcers. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.:			1
415509	turning compared to not turning patients in ulcer healing?	Uncertainties identified from clinicians' questions	uncertainties about treatment effects		Devices					CD006898. DOI: 10.1002/14651858.CD006898.pub3			Ulcer healing
	For people with pressure ulcers what is the				220		1						Ĭ
415462	best way of managing wounds to reduce the frequency of changing dressings	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Devices					ļ			Reducing the number changes an ulcer requ
	For people with pressure ulcers what is the impact of honey-based treatments on the	Uncertainties identified from	No relevant systematic reviews										_
415465	speed of healing and wound granulation? For people with pressure ulcers who are	patients' questions	identified		Drug		-	-	<u> </u>	1			Speed of ulcer healing
445500	wheelchair users, do pressure bandages help to heal foot sores?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Dovices								Ulcer healing
415583	to nedi 100t Sures?	omitorans questions	Reliable up-to-date systematic		Devices					Moore ZEH, Cowman S. Repositioning for			orcer nearing
	1		reviews have revealed important continuing							treating pressure ulcers. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.:			1
	For people with pressure ulcers who require a								·				
415642	carer to help them move, what is the most	Uncertainties identified from carers' questions	uncertainties about treatment effects		Physical therapies	Devices			This submission was a variation of one which was prioritised. Priority 9	CD006898. DOI: 10.1002/14651858.CD006898.pub3			Ulcer Healing
415642		Uncertainties identified from carers' questions	uncertainties about treatment			Devices							Ulcer Healing

Part Part		1
Part	extending at time of PSP	Which outcomes?
Part	extending at time of PSP	which outcomes?
April Company Compan		
Part Part		Ulcer healing
Part		Oicei fleating
Service of the control of the contro		
Process Proc		
For season of the control of the con		
Make a visual control of process of grown of the part		
For proper with our liver and the pr		
Part Part		
Property of the protect windows and service	Akbari Sari A, Flemming K, Cullum NA,	
A contact and make the property of the prope	Wollina U. Therapeutic ultrasound for pressu	re
4 Stock process during the factor of the fac	ulcers. Cochrane Database of Systematic	
For people with small relative cold process of process and process	Reviews 2006, Issue 3. Art. No.: CD001275. DOI: 10.1002/14651858.CD001275.pub2	Ulcer healing
For posses with early elegistic or interval state of the control o	DOI: 10.1002/14651656.CD001275.pub2	Older riealing
The contract the five the project of short and the standard of the standard		
Street of the control		
For probable and special control of the control of cont		Ulcer healing
For party with spring relation of a single of a common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the discolor of the common process of the common process of the discolor of the common process of the		
Service Service Service Service Will be Noted to the Proof of Service Service Will be Noted to the Proof of Service William Se		
Service of the control of the contro		
Proposed in group of program and program a		
and processes which can be written should be believed by the processes of		Prevention
Secretary to the approximate souther an experiment control and souther activities of the secretary proteins about the interest secretary and secretary and secretary activities of the secretary and secretary activities and		
For purpose with great playing and large and large and extractions of present sections of the control of the co		
Intervience presents when the important parts are petit in view of the present selection of the		Speed of ulcer healing
service department of trace votable partment of traces of traces votable partment of traces of traces votable partment of traces and traces votable partment of traces votable partment		
Assistant control of the control of		
Rigidate query order general de la processar dans de la persona dans de la persona dans de la persona del la persona de la perso		Ulcer healing
For schoolstider with pressure stores who was been selected tree in the store of th		older riedling
So down for mout of the day impact on such services determined from junetations selected in sections of the services of the se		
address desired seatons of the control of the contr		
For advocabilities with pressure stores from the contrained source of the day effective in Contrained Sales presented in the contrained Source of the day effective in Contrained Source of the day effective in Contrained Source of the day effective in Contrained Source of the day effective in Contrained Source of the day effective in Contrained Source of the day of the Contrained Source of the		quality of life
as whether users, is advice to the face 45000 the f		
down for most of the day effective in page behaling? A 15500 promoting personal control of the day effective in page behaling? A 15500 promoting personal control of the day effective in page behaling? A 15500 promoting personal control of the day effective in page behaling a control of the day		
A 1500 promoting healing? For those impressive uclear, does access to a special service improve pressive uclear, does access to a special service improve pressive uclear does access to a special service improve pressive uclear does access to a special service improve pressive uclear does access to a special service improve pressive uclear does access to a special service improvement of program upleas to a special service improvement of program upleas to a special service improvement of program upleas to a special service improvement of unitary and the special gram of the service of th		
a specialist service improve pressure uteral uncertainties identified from the destriction guidance and produced and produ		Ulcer healing
Assistance of the control of the con		
For those with spoial injury, to what extent is pressure uncertainty and fecul uncertainties identified from the pressure uncertainty and fecul uncertainties undersided from the pressure uncertainty and fecul uncertainties undersided from the pressure uncertainty uncertainties undersided from the pressure uncertainty uncertainties undersided from the pressure uncertainty uncertainties undersided from the pressure uncertainty uncertainties uncertainty uncertainties uncertainty uncertainties uncertainty uncertainties uncertainty uncertainties u		Ulcer healing
management of urinary and fecal 16565 incomfinitemency For underweight persuare users of developing persuare users of developing pressure users of the pr		
415860 incontinence? For undereight people at risk of developing pressure utcers, how effective is weight agreement utcers, how effective are transfer of the following number of times in the survey. 2 For wheelchair users a risk of developing pressure utcers, how effective are transfer of the following number of times in the survey. 5 For wheelchair users a risk of developing pressure utcers, how effective are transfer of the following number of times in the survey. 5 For wheelchair users a risk of developing pressure utcers, how effective are transfer of the following number of times in the survey. 5 For wheelchair users how effective are pressure utcers, how effective are transfer of the following number of times in the survey. 6 For wheelchair users how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure utcers, how effective are pressure uncertainty. The control of the pressure utcers are not utcertainty uses as the pressure utcers are not utcertainty uses as the pressure utcers are not utcertainty uses as the pressure utcers are not utcertainty uses as the pressure utcers are not utcertainty uses as the pressure utcers are not utcertainty uses as the pressure utcers are not utcertainty uses as the pressure utcertainty uses as the pressure utcers are not utcertainty uses as the pressure utcertainty uses as the pressure utcertainty uses as the pressure utcertainty uses as the pressure utcertainty uses as the pressure utcertainty uses as the pressure utcertainty uses as the pressure utcertainty uses as the utcertainty uses as the pressure utcertainty uses as the utcertainty uses as the utcertainty uses as the utcertainty uses as the utcertainty uses as the utcertainty uses as the utcertain		
For underweight people at risk of developing pressure ulcers, how effective is weight gain preventing pressure ulcers. Provide fine to the following number of limited from patients questions and leight provided pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users a trisk of developing pressure ulcers? For wheelchair users two for developing pressure ulcers? For wheelchair users two for developing to assess pressure areas at risk to prevent the pressure uncers. Wheelchair users two for developing pressure ulcers? For wheelchair users two welfective as wheelchair design in preventing pressure ulcers? For wheelchair users two welfective is wheelchair design in preventing pressure ulcers. Wheelchair users two welfective is wheelchair design in preventing pressure ulcers. Wheelchair users two welfective is wheelchair design in preventing pressure ulcers. Wheelchair users two welfective is wheelchair design in preventing pressure ulcers. Wheelchair users two welfective is wheelchair design in preventing pressure ulcers. Wheelchair users two welfective is wheelchair design in preventing pressure ulcers. Wheelchair users two welfective is wheelchair design in preventing pressure ulcers. Wheelchair users two welfective is developing uncertainty was a developed to the following puniter of interiors in the survey.		Prevention
For wheelchair users at risk of developing pressure ulcers does exercise (sports, or a built of water special pressure ulcers does exercise (sports, or a built) to wait short distances) help improve adult of the special pressure ulcers does exercise (sports, or a built) to wait short distances) help improve adult of the special pressure ulcers from the click of the special pressure ulcers at risk of developing pressure ulcers. Nor elevant systematic reviews are unlarged to the special pressure ulcers, to well-cert were transfer of the special pressure ulcers. This is an indicative uncertainty. This or a similar uncertainty was also suggested for the following number of times in the survey: 6 For wheelchair users at risk of developing pressure ulcers. We elevant the special pressure ulcers, the waste of the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the waste of the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers at risk of developing pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers are as at risk to prevent the pressure ulcers? For wheelchair users how effective as periods of bed rest in preventing pressure ulcers? For wheelchair users how effective is ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special pressure ulcers, the special		
For wheelchair users at risk of developing pressure ulors does exercise (sports, or an ability to waik short distances) help improve ulors of the pressure		Prevention
pressure ulcers does exercise (sports, or an ability to walk short distances) help improve at 14549 circulation and help prevent pressure ulcers? For wheelchair users at risk of developing pressure ulcers, how effective are transfer preventing pressure ulcers, how effective are transfer ulcers, which is the most effective method of pressure ulcers? For wheelchair users at risk of preventing pressure ulcers? For wheelchair users at risk of preventing pressure ulcers? For wheelchair users are and risk to prevent the preventing pressure ulcers? For wheelchair users are and risk to prevent the preventing pressure ulcers? For wheelchair users to make the most effective method of pressure ulcers? For wheelchair users to make the most effective and preventing pressure ulcers? For wheelchair users not understance and the preventing pressure ulcers? For wheelchair users not understance and the preventing pressure ulcers? For wheelchair users not understance and the preventing pressure ulcers? For wheelchair users not understance and the preventing pressure ulcers? For wheelchair users not understance and the preventing pressure ulcers? For wheelchair users not reflective is wheelchair users not reflective is wheelchair users not reflective is wheelchair users not reflective is wheelchair users not reflective is ulcertance and the preventing pressure ulcers? For wheelchair users not reflective is wheelchair users not reflective is wheelchair users not reflective is ulcerstance and the preventing pressure ulcers? For wheelchair users not reflective is wheelchair users not reflective is wheelchair users not reflective is ulcerstance and the preventing pressure ulcers? For wheelchair users not reflective is wheelchair users not reflective is ulcerstance and the preventing pressure ulcers? For wheelchair users not reflective is wheelchair users not reflective is ulcerstance and the preventing pressure ulcers? For wheelchair users not reflective is wheelchair users not reflective is ulcerstance and the preve	- 	Fieverillori
ability to walk short distances) help improve 415439 disculation and help prevent pressure ulcares? patients" questions identified from pressure ulcres, how effective are transfer 415469 boards at preventing pressure ulcres? For wheelchair users at risk of developing pressure ulcres, what is the most effective method of pressure mapping to assess pressure areas at risk to prevent the 415441 development of pressure ulcres? For wheelchair users at risk of preventing pressure ulcres, what is the most effective method of pressure mapping to assess pressure areas at risk to prevent the 415441 development of pressure ulcres? For wheelchair users at risk of preventing pressure ulcres, what is the most effective method of pressure ulcres? For wheelchair users how effective are periods of bed rest in preventing pressure ulcres? For wheelchair users how effective are periods of bed rest in preventing pressure ulcres? For wheelchair users how effective are periods of bed rest in preventing pressure ulcres? For wheelchair users how effective is wheelchair design in preventing pressure ulcres? For wheelchair design in preventing pressure ulcres? For wheelchair users how effective is wheelchair design in preventing pressure ulcres? Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patients' questions Incertainties identified from patien		
415489 bioculation and help prevent pressure ulcers? For wheelchair users at risk of developing pressure ulcers, how effective are transfer 415489 boards at preventing pressure ulcers, how effective are transfer wheelchair users at risk of developing pressure ulcers, how effective are transfer wheelchair users at risk of developing pressure ulcers, what is the most effective method of pressure mapping to assess pressure areas at risk to prevent the patients' questions. Uncertainties identified from patients' questions ulcers, what is the most effective method of pressure areas at risk to prevent the patients' questions. Uncertainties identified from patients' questions ulcers, what is the most effective are periods of under the preventing pressure ulcers. This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This particular uncertainty was submitted the following number of times in the survey: 3 This particular uncertainty was submitted the following number of times in the survey: 3 This particular uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This particular uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This particular uncertainty was submitted the following number of times in the survey: 3 This particular uncertainty was submitted the following number of times in the survey: 3 This particular uncertainty was also suggested for the following number of times in the survey: 3 This particular uncertainty was also suggested for the following number of times in the survey: 3 This particular uncertainty was also suggested for the following number of times in the survey: 5 This uncertainty was also suggested for the following patients and interventions. For wheelchair users sitting on a pressure 415567 Unc		
For wheelchair users at risk of developing pressure ulcores, or wheelchair users at risk of developing pressure ulcores? For wheelchair users at risk of developing pressure ulcores? For wheelchair users at risk of developing pressure ulcores, what is the most effective method of pressure mapping to assess pressure areas at risk to prevent the 415441 development of pressure ulcores? For wheelchair users how effective are periods of bed rest in preventing pressure ulcores? For wheelchair users how effective are periods of bed rest in preventing pressure ulcores? For wheelchair users how effective are periods of bed rest in preventing pressure ulcores? For wheelchair users how effective as the following number of times in the survey: 3 This is an indicative uncertainty. This or a similar uncertainty was along suggested for the following number of times in the survey: 3 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This is an indicative uncertainty. This or a similar uncertainty was provided the following number of times in the survey: 3 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This is an indicative uncertainty. This or a similar uncertainty was provided the following number of times in the survey: 3 This is an indicative uncertainty. This or a similar uncertainty was also suggested for the following number of times in the survey: 3 This is an indicative uncertainty was also suggested for the following number of times in the survey: 3 This is an indicative uncertainty was also suggested for the following number of times in the survey: 3 This uncertainty was also suggested for the following number of times in the survey: 3 This uncertainty was also suggested for the following number of times in the survey: 3 This uncertainty was also suggested for the following number of times in the survey: 3 This uncertainty was also suggested for the following n		Prevention
415431 development of pressure ulcers? For wheelchair users to we ffective are periods of bed rest in preventing pressure uncertainty sers show effective is wheelchair users how effective is wheelchair users how effective is wheelchair users how effective is wheelchair design in preventing pressure 415567 ulcers? Author of the declar is users how effective is wheelchair users how effective is wheelchair users how effective is wheelchair design in preventing pressure 415567 ulcers? Author of the declar is users how effective is wheelchair users how effective is dentified from clinicians' questions identified from clini		
For wheelchair users at risk of developing pressure ulcers, what is the most effective method of pressure mapping to assess pressure areas at risk to prevent the 415441 development of pressure ulcers? Uncertainties identified from patients' questions For wheelchair users how effective are periods of bed rest in preventing pressure 415522 ulcers? For wheelchair users how effective is wheelchair users how effective is wheelchair users how effective is uncertainty pressure 415567 ulcers? Uncertainties identified from clinicians' questions Uncertainties identified from clinicians' questions identified Drug Devices Drug Devices Drug Devices This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This uncertainty was also suggested for the following patients and interventions; (variatic cleft) Uncertainties identified from clinicians' questions identified No relevant systematic reviews identified from clinicians' questions identified For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure Uncertainty was submitted the following number of times in the survey: S This uncertainty was submitted the following number of times in the survey: S This uncertainty was submitted the following number of times in the survey: S This uncertainty was submitted the following number of times in the survey: S This uncertainty was submitted the following number of times in the survey: S This uncertainty was submitted the following number of times in the survey: S This uncertainty was submitted the following number of times in the survey: S This uncertainty was submitted the following number of times in the survey: S This uncertainty was submitted the followin		Prevention
method of pressure mapping to assess pressure areas at risk to prevent the patients' questions 415441 development of pressure ulcers? For wheelchair users how effective are periods of bed rest in preventing pressure 415522 [Joers?] For wheelchair users how effective is wheelchair users how effective is wheelchair design in preventing pressure 415627 [Joers?] For wheelchair users sitting on a pressure 415628 [Joers?] For wheelchair users sitting on a pressure 415647 [Joers] For wheelchair users sitting on a pressure 415657 [Joers] For wheelchair users sitting on a pressure 4156587 [Joers] For wheelchair users sitting on a pressure 415647 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure 415659 [Joers] For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure For wheelchai	Reenalda J, Jannink M, Nederhand M,	Fieverillori
pressure areas at risk to prevent the development of pressure ulcers? A15441 development of pressure ulcers? A15452 ulcers? For wheelchair users how effective are periods of bed rest in preventing pressure ulcers? For wheelchair design in preventing pressure ulcers? A15567 ulcers? A15567 ulcers? For wheelchair users sitting on a pressure A15568 provided that users sitting on a pressure A15569 ulcers? For wheelchair users sitting on a pressure A15569 ulcers? For wheelchair users sitting on a pressure A15560 ulcers? For wheelchair users sitting on a pressure A15560 ulcers? For wheelchair users sitting on a pressure A15560 ulcers? For wheelchair users sitting on a pressure A15560 ulcers? A15560 ulcers? A15560 ulcers? A15560 ulcers? A1560 ulc	IJzerman M. Clinical use of interface pressur	Э
41541 development of pressure ulcers? For wheelchair users how effective are periods of bed rest in preventing pressure 415522 ulcers? For wheelchair users how effective is wheelchair users siting on a pressure 415567 ulcers? For wheelchair users siting on a pressure For wheelchair users siting on a pressure 41567 ulcers? Diagnostic Diagnostic Diagnostic Submitted the following number of times in the survey: 2 This is an indicative uncertainty. This is an indicative uncertainty was submitted the following number of times in the survey: 3 This submission was a variation of one which was prioritised. Physical therapies This submission was a variation of one which was prioritised. Physical therapies This submission was a variation of one which was prioritised. Priority 7 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 This submission was a variation of one which was prioritised. Priority 7 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the submitted the following number of times in the survey: 5 This uncertainty was submitted the following number of times in the submitted the following number of times in the submitted the following number of times in the submitted the f	to predict pressure ulcer development: a systematic review. Assistive Technology 200	
For wheelchair users how effective are periods of bed rest in preventing pressure 415522 ulcers? For wheelchair users how effective is wheelchair design in preventing pressure 415567 ulcers? For wheelchair users sitting on a pressure For w	21(2): 76-85	Prevention
periods of bed rest in preventing pressure 415522 ulders? For wheelchair users how effective is wheelchair design in preventing pressure 415567 Ulders? Uncertainties identified from clinicians' questions Uncertainty was also suggested for the following patients and interventions: {		
415522 ulcers? Clinicians' questions identified Drug Devices thérapies interventions:[+natal cleft]		
For wheelchair users how effective is wheelchair users how effective is wheelchair users how effective is wheelchair users how effective is wheelchair users how effective is wheelchair users how effective is wheelchair users sitting on a pressure Value of the following pressure Uncertainties identified Devices		Prevention
415667 ulcers? clinicians' questions identified Devices This submission was a variation of one which was prioritised. Priority 7 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 5 This uncertainty was also suggested for the following patients and interventions:For wheelchair users sitting on a pressure For wheelchair users sitting on a pressure Altischer Charles Cha		
This submission was a variation of one which was prioritised. Priority 7 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 5 This uncertainty was also suggested for the following patients and interventions:For wheelchair users sitting on a		Prevention
Priority 7 This is an indicative uncertainty. This or a similar uncertainty was submitted the for times in the survey: 5 This uncertainty was also suggested for the following patients and interventions: For wheelchair users sitting on a pressure Priority 7 This is an indicative uncertainty. This or a similar uncertainty was also suggested for times in the survey: 5 This uncertainty was also suggested for the following patients and interventions: For wheelchair users sitting on a		I TEVERIUUII
survey: 5 This uncertainty was also suggested for the following For wheelchair users sitting on a pressure sitting on a pressure		
For wheelchair users sitting on a pressure patients and interventions: For wheelchair users sitting on a		
415540 pressure ulcer in ulcer healing? clinicians' questions identified therapies ulcer healing? [+young and fit] This is an indicative uncertainty. This or a similar uncertainty was		Ulcer Healing
For wheelchair users with pressure ulcers, For wheelchair users with pressure ulcers, Submitted the following number of times in the survey: 5 This		
how effective is bed rest in promoting ulcer Uncertainties identified from No relevant systematic reviews Physical uncertainty was also suggested for the following patients and		
415447 healing? patients' questions identified therapies interventions: Managing patients with limited mobility McInnes E, Jammali-Blasi A, Bell-Syer SEM,		Ulcer healing
Reliable up-to-date systematic Dumwiller L. Cullum N. Support surfaces for		
For wheelchair userswith Multiple Sclerosis at reviews have revealed pressure ulcer prevention. Cochrane Database of		
risk of pressure ulcers and with oedema what important continuing Systematic Reviews 2011, Issue 4. Art. No.: is the best way of preventing pressure ulcers Uncertainties identified from uncertainties about treatment Uncertainties about Uncertainties about Uncertainties uncertainties uncertainties uncertainties uncertainties uncertain		
415472 on calves? patients' questions effects Devices and interventions: best way [wheelchair design/pressure relief] 10.1002/14651858.CD001735.pub4.		Prevention
McInnes E, Jammali-Blasi A, Bell-Syer SEM,		
Dumville JC, Cullum N. Support surfaces for pressure ulcer prevention. Cochrane Database of		
Systematic Reviews 2011, Issue 4. Art. No.:	Langer G, Knerr A, Kuss O, Behrens J,	
CD001735. DOI:	Schl?mer GJ. Nutritional interventions for	
10.1002/14651858.CD001735.pub4. Moore ZEH, Cowman S. Risk assessment tools for the	preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews	
Cowman S. rots assessment tools for the prevent tools for the prevent tools for the Moore ZEH, Webster J. Dressings and too		
Database of Systematic Reviews 2008, Issue 3. agents for preventing pressure ulcers (Pro	ocol). 10.1002/14651858.CD003216 Reddy et	
Art. No.: CD006471. DOI: Coohrane Database of Coohr		
10.1002/14651858.CD006471.pub2 Flodgren G, Issue 10. Art. No.: CD009362. DOI: Rojas-Reyes MX, Cole N, Foxcroft DR. 10.1002/14651858.CD009362 Gillespie B	pressure ulcers: a systematic review. JAMA. 2006 23;296(8):974-84 Stratton R J, Ek A C,	
Reliable up-to-date systematic Effectiveness of organisational infrastructures to Chaboyer WP, Molnnes E, Kent B, Whitty	IA. Engfer M, Moore Z, Rigby P, Wolfe R, Elia N	i.
reviews have revealed promote evidence-based nursing practice. Repositioning for pressure ulcer prevention		
Important continuing Cochrane Database of Systematic Reviews 2012, adults (Protocol). Cochrane Database of How best to prevent pressure ulcers in people Uncertainties identified from Uncertainties about treatment Education and Uncertainties about treatment Uncertainties about treatment Uncertainties about treatment Uncertainties about treatment Uncertainties about treatment Uncertainties about treatment Uncertainties about treatment Uncertainties about treatment Uncertainties about treatment Uncertainties about treatment	treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research	
415478] with neurological conditions? platients questions prefer in the conditions of the conditions o		Prevention

James	Lind Alliance Pressure Ulcer PS												
dentifier	Title	Where were uncertainties from?	Why is there uncertainty?			Which types of treatments? 2		Which types of treatments? 4	Original uncertainty	References to reliable up-to-date systematic reviews	Systematic reviews in preparation at time of PSP	Systematic reviews that need updating or extending at time of PSP	Which outcomes?
				иоткапор						Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft			
			Reliable up-to-date systematic							DR. Effectiveness of organisational infrastructures to promote evidence-based			
			reviews have revealed							nursing practice. Cochrane Database of			
	How does continuity of care impact on the	Uncertainties identified from	important continuing uncertainties about treatment							Systematic Reviews 2012, Issue 2. Art. No.: CD002212. DOI:			
415623	prevention of pressure ulcers?	carers' questions	effects		Service delivery					10.1002/14651858.CD002212.pub2.			Prevention
41EC44	How does continuity of care impact on treatment of pressure ulcers?	Uncertainties identified from carers' questions	No relevant systematic reviews identified		Service delivery								Ulcer Healing
415644	treatment or pressure dicers?	carers questions	identified		Service delivery	 	1	+	This submission was a variation of one which was prioritised.				Older Healing
	How effective are measures such as pressure								Priority 1This is an indicative uncertainty. This or a similar			Michael S M, Porter D, Pountney T E. Tilted	
	relief by changing position in bed or leaning forward, at preventing pressure ulcers and								uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following			seat position for non-ambulant individuals with neurological and neuromuscular impairment: a	
	should they be changed with age or weight	Uncertainties identified from			Physical				patients and interventions:[+Should these be changed with age			systematic review. Clinical Rehabilitation	
415427	loss?	patients' questions	reviews are not up-to-date		therapies	 	-	+	or weight loss?] This submission was a variation of one which was prioritised.			2007; 21(12): 1063-74	Prevention
	How effective are all pressure relieving								Priority 4 This is an indicative uncertainty. This or a similar				
	support surfaces in the prevention of pressure ulcers?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Devices				uncertainty was submitted the following number of times in the survey: 7				Prevention
410000	uiceis:	cillicians questions	identined		Devices		1		Survey. 1		Moore ZEH,Webster J. Dressings and topical		rievention
	How effective are barrier creams or sprays								This submission was a variation of one which was prioritised. Priority 12This is an indicative uncertainty. This or a similar		agents for preventing pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 10.		
	(for example Sudocrem and Cavilon) in the	Uncertainties identified from	No relevant systematic reviews						uncertainty was submitted the following number of times in the		Art. No.: CD009362. DOI:		
	prevention of pressure ulcers?	patients' questions	identified		Drug				survey: 7		10.1002/14651858.CD009362.		Prevention
									This submission was a variation of one which was prioritised.				
									Priority 4This is an indicative uncertainty. This or a similar	McInnes E, Jammali-Blasi A, Bell-Syer SEM,			
			Reliable up-to-date systematic reviews have revealed						uncertainty was submitted the following number of times in the survey: 10 + 2 concerns about comfort This uncertainty was also	Dumville JC, Cullum N. Support surfaces for			
			important continuing						suggested for the following patients and interventions: [best	Systematic Reviews 2011, Issue 4. Art. No.:			
4454.5	How effective are beds, mattresses and	Uncertainties identified from	uncertainties about treatment		Davida			I	mattresses, aree they comfortable and able to accommodate	CD001735. DOI:			Decreed's s
415419	overlays in the prevention of pressure ulcers? How effective are dressings at preventing the		effects No relevant systematic reviews		Devices		1	+	shared sleeping if desired] [airwave, memory foam] This is an indicative uncertainty. This or a similar uncertainty was	10.1002/14651858.CD001735.pub4		+	Prevention
415518	development of pressure ulcers?	clinicians' questions	identified		Devices		1	1	submitted the following number of times in the survey: 3				Prevention
									This submission was a variation of one which was prioritised. Priority 8 This is an indicative uncertainty. This or a similar		Moore ZEH,Webster J. Dressings and topical		
								I	uncertainty was submitted the following number of times in the		agents for preventing pressure ulcers. Cochrane		
	Harris Warden and American St.	11	No order or a second second					I	survey: 2 This uncertainty was also suggested for the following		Database of Systematic Reviews 2011, Issue 10.		
	How effective are dressings in the prevention of pressure ulcers?	Uncertainties identified from carers' questions	No relevant systematic reviews identified		Devices			I	patients and interventions: [+hydrocolloid dressings] People with multiple sclerosis		Art. No.: CD009362. DOI: 10.1002/14651858.CD009362.		Prevention
									This submission was a variation of one which was prioritised.				
								I	Priority 8 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the				
									survey: 6 (3 from same source) This uncertainty was also				
									suggested for the following patients and interventions: people				
									with people with Multiple Scerlosis, the elderly with fragile skin, those with awkward crevasses, creases and joints. [+Kaltostat				
		Uncertainties identified from							alginate dressings +Sorbion wound dressing +hydrocolloid				
415633	How effective are dressings in ulcer healing?	carers' questions	identified		Devices		<u> </u>		dressings +adhesive dressings] This is an indicative uncertainty. This or a similar uncertainty was				Ulcer Healing
									submitted the following number of times in the survey: 3 This				
	Harris Mark and the character of the	11	No. and an and an artist and a second						uncertainty was also suggested for the following patients and				
	How effective are heel protectors in preventing pressure ulcers?	Uncertainties identified from carers' questions	No relevant systematic reviews identified		Devices			1	interventions: people with stroke [+Repose heel protectors Heel shaped foam protectors]				Prevention
	How effective are heel protectors in	Uncertainties identified from							This is an indicative uncertainty. This or a similar uncertainty was	s			
415534	preventing ulcers?	clinicians' questions	identified		Devices	 	-	+	submitted the following number of times in the survey: 5 This submission was a variation of one which was prioritised.				Prevention
									Priority 8 This is an indicative uncertainty. This or a similar				
415520	How effective are honey dressings in promoting ulcer healing?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Devices				uncertainty was submitted the following number of times in the survey: 3				Ulcer healing
410009	promoting dicer nearing:	cillicians questions	identined		Devices		1		Survey. 3			Jull AB, Rodgers A, Walker N. Honey as a	Olcer riealing
												topical treatment for wounds. Cochrane Database of Systematic Reviews 2008, Issue	
	How effective are honey-based treatments at	Uncertainties identified from	Existing relevant systematic						This is an indicative uncertainty. This or a similar uncertainty was	s		4. Art. No.: CD005083. DOI:	
415517	healing pressure ulcers?	patients' questions	reviews are not up-to-date		Drug				submitted the following number of times in the survey: 3			10.1002/14651858.CD005083.pub2	Ulcer healing
	How effective are pressure relieving cushions	Uncertainties identified from	No relevant systematic reviews						This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 3 [+which				
415423	in the prevention of pressure ulcers?	patients' questions	identified		Devices				are the best]				Prevention
									This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 9 This	S			
									uncertainty was also suggested for the following patients and				
									interventions:[+ full replacement alternating/dynamic mattresses				
	How effective are pressure relieving	Uncertainties identified from	No relevant systematic reviews						+alternating mattresses +overlays +static foam mattresses], [+critically ill patients with poor peripheral perfusion +weight of				
415542	mattresses in promoting ulcer healing?	clinicians' questions	identified		Devices				patient]				Ulcer healing
	How effective are pressure relieving	Uncertainties identified from	No relevant systematic reviews					1	This submission was a variation of one which was prioritised.				
415629	pads/cushions in preventing pressure ulcers?	carers' questions	identified		Devices				Priority 4				Prevention
	How effective are risk calculator tools in the	Uncertainties identified from	No relevant systematic reviews										
4156/8	prevention of pressure ulcers?	patients' questions	identified Reliable up-to-date systematic		Diagnostic	†	1	+	1	McGinnis E, Stubbs N. Pressure-relieving devices		1	Prevention
			reviews have revealed					I		for treating heel pressure ulcers. Cochrane			
	How effective are skin protectors in the	Uncertainties identified from	important continuing uncertainties about treatment					I		Database of Systematic Reviews 2011, Issue 9. Art. No.: CD005485, DOI:			
415601	treatment of Grade 2 pressure ulcers?	clinicians' questions	effects		Devices					10.1002/14651858.CD005485.pub2			Ulcer healing
										McInnes E, Jammali-Blasi A, Bell-Syer SEM, Dumville JC, Cullum N. Support surfaces for			
								I		pressure ulcer prevention. Cochrane Database of			
								I		Systematic Reviews 2011, Issue 4. Art. No.:			
								I		CD001735. DOI: 10.1002/14651858.CD001735.pub4 McInnes E,			
			Reliable up-to-date systematic					I		Dumville JC, Jammali-Blasi A, Bell-Syer SEM.			
			reviews have revealed important continuing					1		Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011,			
	How effective are static flow mattresses over	Uncertainties identified from	uncertainties about treatment					1	This is an indicative uncertainty. This or a similar uncertainty was	s Issue 12. Art. No.: CD009490. DOI:			
415536		clinicians' questions	effects		Devices			 	submitted the following number of times in the survey: 2	10.1002/14651858.CD009490		1	Prevention
								I	This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar				
	How effective are surgical operations to close							I	uncertainty was submitted the following number of times in the				
415455	pressure ulcers?	patients' questions	identified		Surgery	-	+	+	survey: 4 This submission was a variation of one which was prioritised.		 		Ulcer healing
								I	Priority 12 This submission was a variation of one which was				
								I	prioritised. Priority 12 This is an indicative uncertainty. This or a				
								I	similar uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the				
	How effective are topical skin care products at							I	following patients and interventions:[+Emollients +barrier				
415521	prevention of pressure ulcers?	clinicians' questions	identified		Drug			 	creams, + Cavilon] This submission was a variation of one which was prioritised.			1	Prevention
								1	Priority 8 This is an indicative uncertainty. This or a similar				
								I	uncertainty was submitted the following number of times in the				
								I	survey: 10 This uncertainty was also suggested for the following patients and interventions:[+superficial breaks +impregnated				
								I	dressings +topical vitamin and mineral dressings +compared to				
	How effective are wound dressings in		No relevant systematic reviews		Davida			I	leaving the area undressed for long periods of time +arresting				I lland I land a
	promoting pressure ulcer healing?	clinicians' questions	identified	i	Devices	1	1	1	tissue breakdown]	İ.	İ	i	Ulcer Healing

dentifier	Lind Alliance Pressure Ulcer PS	Where were uncertainties from?	Why is there uncertainty?	Final rank of question after	Which types of treatments? 1		Which types of treatments? 3		Original uncertainty	References to reliable up-to-date systematic	Systematic reviews in preparation at time of	Systematic reviews that need updating or extending at time of PSP	Which outcomes?
aentifier	ritie	nom r	Why is there uncertainty?	workshop	rreatments? 1	treatments? 2	treatments? 3	ureatments? 4	Original uncertainty This submission was a variation of one which was prioritised.	reviews	FOF	extending at time of PSP	Which outcomes?
	How effective at preventing pressure ulcers is								Priority 2This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the				
	the provision of written, oral, video								survey: 2 This uncertainty was also suggested for the following				
115122	information to patients, for example on discharge?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Education and training				patients and interventions:[+including better information about pressure relieving cushions]				Prevention
415433	discharge?	patients questions			training				pressure relieving custions;	McInnes E, Jammali-Blasi A, Bell-Syer SEM,			Prevention
			Reliable up-to-date systematic reviews have revealed							Dumville JC, Cullum N. Support surfaces for pressure ulcer prevention. Cochrane Database of			
	How effective at prevention of pressure ulcers		important continuing							Systematic Reviews 2011, Issue 4. Art. No.:			
415549	are sleep systems for people with physical difficulties?	Uncertainties identified from clinicians' questions	uncertainties about treatment effects		Physical therapies					CD001735. DOI: 10.1002/14651858.CD001735.pub4.			Prevention
+100+0	difficulties:	Cirricians questions	Circus		пстарісэ				This is an indicative uncertainty. This or a similar uncertainty was	Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft			T TO VOTABOLI
			Reliable up-to-date systematic						submitted the following number of times in the survey: 4 This uncertainty was also suggested for the following patients and	DR. Effectiveness of organisational infrastructures to promote evidence-based			
			reviews have revealed						interventions: How effective in preventing pressure ulcers is	nursing practice. Cochrane Database of			
	How effective in preventing pressure ulcers is	Uncertainties identified from	important continuing uncertainties about treatment						having a wound care champion [particular staff, managers or personal carers responsible for the prevention of pressure	Systematic Reviews 2012, Issue 2. Art. No.: CD002212.			
415529	having a wound care champion?	clinicians' questions	effects		Service delivery				ulcers]?	DOI:10.1002/14651858.CD002212.pub2.			Prevention
									This submission was a variation of one which was prioritised. Priority 2 This is an indicative uncertainty. This or a similar				
									uncertainty was submitted the following number of times in the survey: 5 This uncertainty was also suggested for the following				
									patients and interventions: How effective in preventing pressure				
	Hannette atina in annuarties annuaries annuaries		No relevent evetementic reviews		Education and				ulcers is the provision of information (written, oral, or video) to				
415527	How effective in preventing pressure ulcers is the provision of information to patients?	clinicians' questions	No relevant systematic reviews identified		Education and training				patients (for example on discharge from hospital)? [+ learning difficulties				Prevention
445000	How effective is the patient's role in	Uncertainties identified from			0								D
415666	managing their own pressure ulcers?	patients' questions	identified		Service delivery				This submission was a variation of one which was prioritised.				Prevention
									Priority 4 This is an indicative uncertainty. This or a similar				
	How effective is a specialist mattress								uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following				
445000	compared to conventional mattress in the	Uncertainties identified from			Devie				patients and interventions: the frail elderly; those who share a				Description
415630	prevention of pressure ulcers?	carers' questions	identified		Devices		1		bed with a partner			1	Prevention
	How effective is best practice in prevention in												
	considering the range of risk from transient problem as the result of an operation to a	Uncertainties identified from	No relevant systematic reviews										
415673	lifetime of risk for those with spinal injury?	patients' questions	identified		Service delivery								Prevention
									This submission was a variation of one which was prioritised.				
									Priority 1 This is an indicative uncertainty. This or a similar				
	How effective is changing positions regularly								uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following				
445000	for example by turning to prevent the	Uncertainties identified from			Physical				patients and interventions: people with spinal injuries, those in in				Description
415632	development of ulcers? How effective is clinical leadership in	carers' questions	identified		therapies		+		acute hospitals and those using air mattress			1	Prevention
4	preventing pressure ulcers in the NHS and	Uncertainties identified from	No relevant systematic reviews						This is an indicative uncertainty. This or a similar uncertainty was				D
415667	independent sectors?	patients' questions	identified Reliable up-to-date systematic		Service delivery		1		submitted the following number of times in the survey: 2	Moore ZEH, Cowman S. Wound cleansing for		Juli AB, Walker N, Deshpande S. Honey as a	Prevention
			reviews have revealed							pressure ulcers. Cochrane Database of		topical treatment for wounds. Cochrane	
	How effective is debridement of pressure	Uncertainties identified from	important continuing uncertainties about treatment		Physical					Systematic Reviews 2005, Issue 4. Art. No.: CD004983. DOI:		Database of Systematic Reviews 2013, Issue 2, Art. No.: CD005083, DOI:	
415492	ulcers in helping them to heal?	patients' questions	effects		therapies	Surgery				10.1002/14651858.CD004983.pub2		10.1002/14651858.CD005083.pub3	Ulcer healing
	How effective is education for all care staff at preventing the development of pressure	Uncertainties identified from	No relevant systematic reviews		Education and				This submission was a variation of one which was prioritised.				
415626		carers' questions	identified		training				Priority 3				Prevention
	How effective is education for lay carers to								This submission was a variation of one which was prioritised. Priority 6 This uncertainty was also suggested for the following				
	promote pressure ulcer healing including				<u>.</u>				patients and interventions:How effective is education for lay				
415585	understanding and concordance to recommendations?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Education and training				carers to promote pressure ulcer healing including understanding and concordance to recommendations?				Ulcer healing
												Maladada I Wassa O Kasha I Ballin	
												Mehrholz J, Werner C, Kugler J, Pohl M. Electromechanical-assisted training for walking	
												after stroke. Cochrane Database of Systematic	
												Reviews 2007, Issue 4. Art. No.: CD006185. DOI: 10.1002/14651858.CD006185.pub2.	
												Mehrholz J, Kugler J, Pohl M. Locomotor	
												training for walking after spinal cord injury. Cochrane Database of Systematic Reviews	
44547.	How effective is exoskeleton technology in	Uncertainties identified from			Dovince							2008, Issue 2. Art. No.: CD006676. DOI:	Broughtie -
4154/4	the prevention of pressure ulcers?	patients' questions	reviews are not up-to-date		Devices		+		This is an indicative uncertainty. This or a similar uncertainty was			10.1002/14651858.CD006676.pub2.	Prevention
									submitted the following number of times in the survey: 9 This				
									uncertainty was also suggested for the following patients and interventions: [+limited mobility e.g. spinal cord injury, MS,				
4455					ı	I	1		stroke, dementia +neurological conditions] [+micro-nutrient				
415541	How effective is improving nutrition and	Uncertainties identified from			D:-4			l	levels vesses size vittersis of Francis				I llane I langua
. 100-11	How effective is improving nutrition and hydration in pressure ulcer healing?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Diet				levels +serum zinc +Vitamin C +Forceval			Langer G, Knerr A, Kuss O, Behrens J,	Ulcer Healing
.10071					Diet				levels +serum zinc +Vitamin C +Forceval			Schl?mer GJ. Nutritional interventions for	Ulcer Healing
					Diet				levels +serum zinc +Vitamin C +Forceval			Schl?mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews	Ulcer Healing
.10011					Diet				levels +serum zinc +Vitamin C +Forceval			Schl?mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI:	Ulcer Healing
					Diet				levels +serum zinc +Vitamin C +Forceval			Schl?mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews	
					Diet				levels +serum zinc +Vitamin C +Forceval			Schi?mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia.	
					Diet				levels +serum zinc +Vitamin C +Forceval			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for	
					Diet				levels +serum zinc +Vitamin C +Forceval			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651856. CD003216. DOI: Older Jed651856. CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD0070209. DOI: 10.1002/14651858. CD00702709. pub2 Stratton R	
					Diet				levels +serum zinc +Vitamin C +Forceval			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/1465185. CD003216. [2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe	
					Diet				levels +serum zinc +Vitamin C +Forceval			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14661856.DD003216. [2]Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651856.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a	
					Diet				levels +serum zinc +Vitamin C +Forceval			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14661858. CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858. CD007209. pub2 Stratton R J, EK A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing	
	hydration in pressure ulcer healing?	clinicians' questions	identified		Diet				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651856. CD003216. [OI: Systematic Reviews 2009, Issue Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209, DOI: 10.1002/14651858. CD007209, pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3), 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure	
	hydration in pressure ulcer healing?	clinicians' questions Uncertainties identified from	identified .		<u>Diet</u>				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3): 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure ulcers: a systematic review.	
	hydration in pressure ulcer healing?	clinicians' questions	identified		<u>Diet</u>				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 7			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651856. CD003216. [OI: Systematic Reviews 2009, Issue Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209, DOI: 10.1002/14651858. CD007209, pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3), 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure	
	hydration in pressure ulcer healing?	clinicians' questions Uncertainties identified from	identified .		<u>Diet</u>				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 7 This submission was a variation of one which was prioritised.			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3): 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure ulcers: a systematic review.	
	hydration in pressure ulcer healing? How effective is improving nutrition and hydration in preventing pressure ulcers? How effective is improving nutrition and	Uncertainties identified from patients' questions	Existing relevant systematic reviews are not up-to-date		<u>Diet</u>				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 7 This submission was a variation of one which was prioritised. Priority =10 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3): 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure ulcers: a systematic review.	
415434	hydration in pressure ulcer healing? How effective is improving nutrition and hydration in preventing pressure ulcers? How effective is improving nutrition and hydration in the prevention of pressure	Uncertainties identified from patients' questions Uncertainties identified from patients' questions	Existing relevant systematic reviews are not up-to-date		Diet Diet				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 7 This submission was a variation of one which was prioritised. Priority =10 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following number of times in the			Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3): 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure ulcers: a systematic review.	Prevention
	hydration in pressure ulcer healing? How effective is improving nutrition and hydration in preventing pressure ulcers? How effective is improving nutrition and hydration in the prevention of pressure	Uncertainties identified from patients' questions	Existing relevant systematic reviews are not up-to-date		Diet Diet Diet				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 7 This submission was a variation of one which was prioritised. Priority =10 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the	Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft		Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3): 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure ulcers: a systematic review.	
415434	hydration in pressure ulcer healing? How effective is improving nutrition and hydration in preventing pressure ulcers? How effective is improving nutrition and hydration in the prevention of pressure	Uncertainties identified from patients' questions Uncertainties identified from patients' questions	Existing relevant systematic reviews are not up-to-date No relevant systematic reviews identified		Diet Diet				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 7 This submission was a variation of one which was prioritised. Priority =10 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following number of times in the	DR. Effectiveness of organisational		Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3): 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure ulcers: a systematic review.	Prevention
415434	How effective is improving nutrition and hydration in preventing pressure ulcers? How effective is improving nutrition and hydration in preventing pressure ulcers?	Uncertainties identified from patients' questions Uncertainties identified from patients' questions	Existing relevant systematic reviews are not up-to-date No relevant systematic reviews identified Reliable up-to-date systematic reviews have revealed		Diet Diet Diet				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 7 This submission was a variation of one which was prioritised. Priority =10 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following number of times in the	DR. Effectiveness of organisational infrastructures to promote evidence-based nursing practice. Cochrane Database of		Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3): 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure ulcers: a systematic review.	Prevention
415434	hydration in pressure ulcer healing? How effective is improving nutrition and hydration in preventing pressure ulcers? How effective is improving nutrition and hydration in the prevention of pressure	Uncertainties identified from patients' questions Uncertainties identified from patients' questions	Existing relevant systematic reviews are not up-to-date No relevant systematic reviews identified Reliable up-to-date systematic reviews have revealed important continuing		Diet Diet Diet				This submission was a variation of one which was prioritised. Priority 10=This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 7 This submission was a variation of one which was prioritised. Priority =10 This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following number of times in the	DR. Effectiveness of organisational infrastructures to promote evidence-based		Schi ⁷ mer GJ. Nutritional interventions for preventing and treating pressure ulcers. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD003216. DOI: 10.1002/14651858.CD003216 (2)Sampson EL, Candy B, Jones L. Enteral tube feeding for older people with advanced dementia. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD007209. DOI: 10.1002/14651858.CD007209.pub2 Stratton R J, Ek A C, Engfer M, Moore Z, Rigby P, Wolfe R, Elia M. Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. Ageing Research Reviews 2005; 4(3): 422-450 Reddy M, Gill S S, Rochon P A. Preventing pressure ulcers: a systematic review.	Prevention

ifier	Title	Where were uncertainties from?	Why is there uncertainty?	Final rank of question after workshop	Which types of treatments? 1	Which types of treatments? 2	Which types of treatments? 3		Original uncertainty	References to reliable up-to-date systematic reviews	Systematic reviews in preparation at time of PSP	Systematic reviews that need updating or extending at time of PSP	Which outcom
			Reliable up-to-date systematic	Volleylor		- Commonto: L				Moore ZEH, Cowman S. Risk assessment tools		Pancorbo-Hidalgo PL, Garcia-Fernandez FP,	on outcom
ı			reviews have revealed							for the prevention of pressure ulcers. Cochrane		Lopez-Medina IM, Alvarez-Nieto C. Risk	
ı,	How effective is it for Health Care Assistants	Uncertainties identified from	important continuing uncertainties about treatment							Database of Systematic Reviews 2008, Issue 3. Art. No.: CD006471. DOI:		assessment scales for pressure ulcers prevention: a systematic review. Journal of	
	to assess pressure ulcer risk?	clinicians' questions	effects		Service delivery					10.1002/14651858.CD006471.pub2		Advanced Nursing 2006; 54 (1) 94-110	Prevention
		,								Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft			
			Reliable up-to-date systematic							DR. Effectiveness of organisational infrastructures to promote evidence-based			
l	How effective is making staff, managers or		reviews have revealed							nursing practice. Cochrane Database of			
- 1	personal carers responsible for the prevention		important continuing							Systematic Reviews 2012, Issue 2. Art. No.:			
	of pressure ulcers in reducing the incidence of		uncertainties about treatment							CD002212. DOI:			
550	pressure ulcers?	clinicians' questions	effects		Service delivery	-	+			10.1002/14651858.CD002212.pub2.		Ubbink DT,Westerbos SJ, Evans D, Land L,	Prevention
												Vermeulen H. Topical negative pressure for	
												treating chronic wounds. Cochrane Database	
												of Systematic Reviews 2008, Issue 3. Art. No.: CD001898. DOI:	
l												10.1002/14651858.CD001898.pub2. Ubbink D	
l												T, Westerbos S J, Nelson E A, Vermeulen H.	
												A systematic review of topical negative	
												pressure therapy for acute and chronic wounds. British Journal of Surgery 2008;	
l												95(6): 685-692 van den Boogaard M, de Laat	
												E, Spauwen P, Schoonhoven L. The	
												effectiveness of topical negative pressure in	
												the treatment of pressure ulcers: a literature review. European Journal of Plastic Surgery	
			Reliable up-to-date systematic									2008; 31(1): 1-7; Gregor S, Maegele M,	
			reviews have revealed						This submission was a variation of one which was prioritised.	Xie X, McGregor M, Dendukuri N. The clinical		Sauerland S, Krahn JF, Peinemann F, Lange	
I.	Ham effective in acceptive acceptance and	Harantaiatian identified from	important continuing						Priority7This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the	effectiveness of negative pressure wound therapy: a systematic review. Journal of Wound		S. Negative pressure wound therapy: a	
	How effective is negative pressure wound therapy in pressure ulcer healing?	Uncertainties identified from patients' questions	uncertainties about treatment effects		Devices				survey: 3	Care 2010; 19 (11): 490-5. PMID: 21135797		vacuum of evidence? Archives of Surgery 2008; 143(2): 189-96	Ulcer healing
	, , , , , , , , , , , , , , , , , , ,									, , , , , , , , , , , , , , , , , , , ,			
- 1.	How offeetive is potiont								This submission was a variation of one which was prioritised.				
	How effective is patient education at preventing pressure ulcers, including								Priority 2This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the	1			
Į.	information on how to self treat and at what	Uncertainties identified from			Education and				survey: 9 This uncertainty was also suggested for the following				
5430	stage of disease? How effective is patient information on	patients' questions	identified		training	1	1		patients and interventions:paraplegia, SB, Multiple Sclerosis			+	Prevention
	discharge from hospital in the prevention of	Uncertainties identified from	No relevant systematic reviews		Education and								L
663	pressure ulcers?	patients' questions	identified		training	-	-				Gillespie BM, Chaboyer WP, McInnes E, Kent B,	1	Prevention
									This submission was a variation of one which was prioritised.		Whitty JA. Repositioning for pressure ulcer		
									Priority 1This is an indicative uncertainty. This or a similar		prevention in adults. Cochrane Database of	Reddy M, Gill S S, Rochon P A. Preventing	
		Uncertainties identified from	Existing relevant systematic		Physical				uncertainty was submitted the following number of times in the		Systematic Reviews 2012, Issue 7. Art. No.:	pressure ulcers: a systematic review.	
5421	bed at preventing pressure ulcers?	patients' questions	reviews are not up-to-date		therapies				survey: 8 This submission was a variation of one which was prioritised.		CD009958. DOI: 10.1002/14651858.CD009958.	JAMA.2006;296(8):974?84.	Prevention
									Priority 1 This is an indicative uncertainty. This or a similar				
									uncertainty was submitted the following number of times in the				
									survey: 27 [+2 hourly +night time reposturing +4hourly [+stroke patients +dementia +bariatric +cachexic +using a pressure				
l	How effective is repositioning in the	Uncertainties identified from	No relevant systematic reviews		Physical				relieving mattress +surgical patients +hospital in-patients +brain				
5531	prevention of ulcers?	clinicians' questions	identified		therapies				injury +hospitals/institutions				Prevention
									This submission was a variation of one which was prioritised.				
									Priority 3This is an indicative uncertainty. This or a similar				
									uncertainty was submitted the following number of times in the				
									survey: 13(though one person asks 2 - nurses at home and those	Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft			
			Reliable up-to-date systematic						recruited overseas) This uncertainty was also suggested for the following patients and interventions:[+specific groups, SI,	infrastructures to promote evidence-based			
			reviews have revealed						neurological conditions, those paralysed or unable to	nursing practice. Cochrane Database of			
			important continuing						communicate, young people with SB] Staff= hospital nurses,	Systematic Reviews 2012, Issue 2. Art. No.:			
	How effective is staff training at preventing pressure ulcers?	Uncertainties identified from patients' questions	uncertainties about treatment		Education and training				district nurses, nurses recruited from overseas, professional carers, GPs, medical students	CD002212. DOI:10.1002/14651858.CD002212.pub2.			Prevention
3423	pressure dicers:	patients questions	enecia		training				talers, Gr s, medical students	DOI:10.1002/14031030.0D002212.pub2.	Moore ZEH,Webster J. Dressings and topical		rievention
									This submission was a variation of one which was prioritised.		agents for preventing pressure ulcers. Cochrane		
I.	How effective is the application of	Uncertainties identified from	No relevant systematic reviews						Priority 12This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the		Database of Systematic Reviews 2011, Issue 10. Art. No.: CD009362. DOI:		
	moisturisers in preventing ulcers?		identified		Drug				survey: 3		10.1002/14651858.CD009362.		Prevention
												O'Meara SM, Cullum NA, Majid M, Sheldon	
I.	How effective is the application of sugar to	Uncertainties identified from	Eviating relevant avatematic									TA. Systematic review of antimicrobial agents used for chronic wounds. British Journal of	
	pressure ulcers to promote ulcer healing?	carers' questions	reviews are not up-to-date		Drug							Surgery 2001; 88: 4-21.	Ulcer Healing
	,		,		-							T .	
	How effective is the role of Community Nurses or District Nurses in educating carers	Uncertainties identified from	No relevant systematic reviews		Education and								
	Nurses or District Nurses in educating carers in the best way to prevent pressure ulcers?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		training								Ulcer healing
	How effective is ultrasound in identifying	Uncertainties identified from	No relevant systematic reviews		ĺ								, , ,
573	potential pressure ulcers?	clinicians' questions	identified		Diagnostic	Devices	1		This submission was a variation of one which was prioritised.			 	Prevention
									Priority 1This is an indicative uncertainty. This or a similar				
1									uncertainty was submitted the following number of times in the	1			
	How frequently should people at risk of pressure ulcers change positions in order to	Uncertainties identified from	No relevant systematic reviews		Physical				survey: 3 This uncertainty was also suggested for the following patients and interventions: [+wheelchair users, people with	1			
	pressure ulcers change positions in order to prevent pressure ulcers?	patients' questions	identified		therapies				Multiple Sclerosis]				Prevention
Ť	•		Reliable up-to-date systematic		i .					Moore ZEH, Cowman S. Repositioning for			
J.	How often is it best to turn people with		reviews have revealed important continuing						This submission was a variation of one which was prioritised. Priority 9This is an indicative uncertainty. This or a similar	treating pressure ulcers. Cochrane Database of Systematic Reviews 2012, Issue 9, Art. No.:			
lı lı	pressure ulcers to prevent further damage	Uncertainties identified from	uncertainties about treatment		Physical					CD006898. DOI:			
452	and aid healing?	patients' questions	effects		therapies	ļ			survey: 3	10.1002/14651858.CD006898.pub3			Ulcer healing
			Reliable up-to-date systematic reviews have revealed							McInnes E, Dumville JC, Jammali-Blasi A, Bell- Syer SEM. Support surfaces for treating pressure			
			important continuing							ulcers. Cochrane Database of Systematic			
[ı		Uncertainties identified from	uncertainties about treatment							Reviews 2011, Issue 12. Art. No.: CD009490.			
505	ulcers?	patients' questions	effects		Devices	+	+			DOI: 10.1002/14651858.CD009490			Ulcer healing
	In patients who have pressure ulcers, would a												
	supporting frame be a more effective means	Uncertainties identified from carers' questions	No relevant systematic reviews identified		Devices								Ulcer Healing
,00U (of relieving pressure than an air bed? Is debridement an effective treatment in ulcer		No relevant systematic reviews		Devices Physical	1	+		1	1		†	older mealing
634	healing?	carers' questions	identified		therapies	Surgery							Ulcer Healing
ſ					l	1				Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft DR. Effectiveness of organisational			
- 1			Reliable up-to-date systematic							infrastructures to promote evidence-based			
	Is increased staffing and skill mix more		reviews have revealed							nursing practice. Cochrane Database of			
- 1	effective in healing pressure ulcers than		important continuing							Systematic Reviews 2012, Issue 2. Art. No.:			
	reliance on alternating air mattresses and other equipment for those at high risk?	Uncertainties identified from clinicians' questions	uncertainties about treatment		Devices	Service delivery				CD002212. DOI:10.1002/14651858.CD002212.pub2.			Ulcer healing
,JUB (outer equipment for those at high risk?	omnotano queoltuto	Unouta		DGAICES	Cervice delivery			This is an indicative uncertainty. This or a similar uncertainty was			 	orcer riediirig
		İ	1		I	l	1	l	submitted the following number of times in the survey: 3 This	I		1	Ī
	Is massaging pressure areas effective in the	Uncertainties identified from	No relevant systematic reviews		Physical		1	l	uncertainty was also suggested for the following patients and				l .

	Lind Alliance Pressure Ulcer PS	Where were uncertainties			Which types of		Which types of		I	References to reliable up-to-date systematic	Systematic reviews in preparation at time of	Systematic reviews that need updating or	
Identifier	Title	from?	Why is there uncertainty?	workshop	treatments? 1	treatments? 2	treatments? 3	treatments? 4	Original uncertainty This is an indicative uncertainty. This or a similar uncertainty was	reviews	PSP	extending at time of PSP	Which outcomes?
415454	Is sitting for a small time (for example to eat a meal) likely to substantially increase pressure ulcer healing time?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Physical therapies				submitted the following number of times in the survey: 2 This uncertainty was also suggested for the following patients and interventions:Managing patients with limited mobility				Ulcer healing
415609	Is sleep disturbance for repositioning an effective intervention in the prevention of pressure ulcers?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Devices								Quality of life
410000	Is staff training effective in improving	Uncertainties identified from	No relevant systematic reviews		Education and				This is an indicative uncertainty. This or a similar uncertainty was submitted the following number of times in the survey: 5				Quanty of mo
415449	pressure ulcer healing?	patients' questions	identified		training				[+nurses +GPs +carers +nurses recruited from outside UK]		Gillespie BM, Chaboyer WP,McInnes E, Kent B,		Ulcer healing
	Is the Trendelenburg system of positioning										Whitty JA. Repositioning for pressure ulcer prevention in adults. Cochrane Database of		
415566	more effective than the knee break system for preventing pressure ulcers?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Physical therapies						Systematic Reviews 2012, Issue 7. Art. No.: CD009958. DOI: 10.1002/14651858.CD009958.		Prevention
	Is there one effective model of good practice for pressure ulcer prevention?		No relevant systematic reviews identified		Service delivery						05000000.5010105100.1000.05000000.		Prevention
413000	ior pressure dieer prevention:	patients questions	Identified		OCIVICE GENVERY							McInnes E, Jammali-Blasi A, Bell-Syer SEM, Dumville JC, Cullum N, Support surfaces for	ricvention
445077	Is timing a critical factor in the effective use of mattresses to prevent pressure ulceration in patients with vulnerable skin?	Uncertainties identified from patients' questions	Relevant reliable up-to-date systematic reviews do not address continuing uncertainties about treatment effects		Service delivery							pressure ulcer prevention. Cochrane Database of Systematic Reviews 2011, Issue 4. Art. No.: CD001735. DOI: 10.1002/14651858.CD001735.pub4	Prevention
	Is topical negative pressure therapy more or less effective than usual care in patients with	Uncertainties identified from	No relevant systematic reviews									10.1002/14001030.020017-00.pub4	
415581	grade 3 and grade 4 pressure ulcers? Should all care workers have a statutory one	Clinicians' questions	identified No relevant systematic reviews		Devices Education and								Ulcer healing
415668	day per year training in pressure ulcers? Should Grade 1 pressure ulcers in patients at	patients' questions	identified		training								Prevention
415504	high risk be treated more aggressively than in low risk patients?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Service delivery								Ulcer healing
	To what extent does patient acceptability of different types of mattresses impact on	Uncertainties identified from	Relevant reliable up-to-date systematic reviews do not address continuing uncertainties									McInnes E, Jammali-Blasi A, Bell-Syer SEM, Dumville JC, Cullum N. Support surfaces for pressure ulcer prevention. Cochrane Database of Systematic Reviews 2011, Issue 4. Art. No.: CD001735. DOI:	
415676	pressure ulcer prevention? What are the best service models to ensure	patients' questions	about treatment effects		Devices							10.1002/14651858.CD001735.pub4	Prevention
415665	what are the best service models to ensure that patients with high risk of pressure ulceration receive adequate care? What are the best service models to ensure	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Service delivery								Prevention
415682	that patients with pressure ulcers receive adequate care?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Service delivery								Ulcer Healing
<u>4</u> 15568	What are the best ways to measure shear force in wheelchair users in relation to preventing ulcers?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Devices								Prevention
	What educational interventions at organisational and Health Care Practice level	Uncertainties identified from	No relevant systematic reviews		Education and								
415657		patients' questions	identified		training								Prevention
415470	someone immobile and at risk of pressure ulcers from wheelchair to bed?	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Physical therapies								Prevention
			Reliable up-to-date systematic reviews have revealed							Moore ZEH, Cowman S. Risk assessment tools for the prevention of pressure ulcers. Cochrane			
		Uncertainties identified from	important continuing uncertainties about treatment							Database of Systematic Reviews 2008, Issue 3. Art. No.: CD006471. DOI:			
415442	assessing pressure ulcer risk? What is the best service model for pressure ulcer prevention, especially in high risk people	patients' questions Uncertainties identified from	No relevant systematic reviews		Diagnostic				1	10.1002/14651858.CD006471.pub2			Prevention
415669	in general care settings? What is the best way to communicate risk of	patients' questions Uncertainties identified from	identified No relevant systematic reviews		Service delivery Education and				This is an indicative uncertainty. This or a similar uncertainty was				Prevention
415672	pressure ulcers to people at risk? What is the best way to motivate patients to	patients' questions Uncertainties identified from	identified No relevant systematic reviews		training Education and				submitted the following number of times in the survey: 4 This submission was a variation of one which was prioritised.				Prevention
415477	take better care of themselves? What is the best way to structure Tissue	patients' questions	identified		training				Priority 2				Prevention
	Viability Nursing services so that there is awareness of their existence and access to												
415645	their specialised service for the treatment of pressure ulcers?	carers' questions	No relevant systematic reviews identified		Service delivery				This submission was a variation of one which was prioritised. Priority 6				Ulcer Healing
415607	What is the most effective bed pan design to avoid pressure ulcers?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Devices								Prevention
										McInnes E, Dumville JC, Jammali-Blasi A, Bell- Syer SEM. Support surfaces for treating pressure ulcers. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD009490. DOI: 10.1002/14651858.CD009490 McGinnis E,			
			Reliable up-to-date systematic reviews have revealed						This is an indicative uncertainty. This or a similar uncertainty was			Reddy M, Gill S S, Kalkar S R, Wu W,	
	What is the most effective mattress to	Uncertainties identified from	important continuing uncertainties about treatment						uncertainty was also suggested for the following patients and	Systematic Reviews 2011, Issue 9. Art. No.: CD005485. DOI:		Anderson P J, Rochon P A. Treatment of pressure ulcers:a systematic review. JAMA	
415451	promote ulcer healing?	patients' questions	effects		Devices				interventions:(+air bed + pressure relieving mattress,+ Air bed)	Flodgren G, Rojas-Reyes MX, Cole N, Foxcroft		2008; 300(22): 2647-2662	Ulcer healing
			Reliable up-to-date systematic reviews have revealed							DR. Effectiveness of organisational infrastructures to promote evidence-based nursing practice. Cochrane Database of			
,. .	What is the most effective means for staff in private care homes to keep abreast of	Uncertainties identified from	important continuing uncertainties about treatment		Education and					Systematic Reviews 2012, Issue 2. Art. No.: CD002212.			Prevention and ulcer
415596	pressure ulcer treatments? What is the most effective method of disseminating good practice about pressure	clinicians' questions Uncertainties identified from	effects No relevant systematic reviews		training					DOI:10.1002/14651858.CD002212.pub2.			healing
415681	ulcer treatment? What is the most effective method of	patients' questions	identified		Service delivery								Ulcer Healing
415662	disseminating good practice about prevention of pressure ulcers? What is the most effective pressure relieving	Uncertainties identified from patients' questions	No relevant systematic reviews identified		Service delivery								Prevention
415606	surface or mattress at preventing pressure ulcers in very premature babies?	Uncertainties identified from clinicians' questions	No relevant systematic reviews identified		Devices								Prevention
			Reliable up-to-date systematic							Martinez-Zapata MJ, Mart?-Carvajal AJ, Sol? I, Exp?sito JA, Bol?bar I, Rodr?guez L, Garcia J Autologous platelet rich plasma for treating chronic wounds. Cochrane Database of Systematic Reviews 2012, Issue 10. Art. No.: CD006899. DOI:	Hao XY, Guo TK, Li YP, Li HL, Gu YH, Cai H,		
			reviews have revealed important continuing						submitted the following number of times in the survey: 4 This	10.1002/14651858.CD006899.pub2 From DARE: Reddy et al. Treatment of pressure ulcers: a	Jiang L, Liu R. Topical phenytoin for treating pressure ulcers. Cochrane Database of Systematic		
<u>415</u> 444	ulcer healing?	Uncertainties identified from patients' questions	uncertainties about treatment effects		Drug			<u> </u>	interventions: Rawleigh?s cream +topical collagen spinal injuries		Reviews 2010, Issue 1. Art. No.: CD008251. DOI: 10.1002/14651858.CD008251		Ulcer healing
	What is the most effective way for health professionals to communicate risk to patients at risk of pressure ulcers?		No relevant systematic reviews identified		Education and training								Prevention
	What is the most effective way for patients to communicate their risk of pressure ulcers to	Uncertainties identified from	No relevant systematic reviews		Education and								
415689	health professionals?	patients' questions	identified		training								Patient Safety

	Where were uncertainties		Final rank of question after		Which types of				References to reliable up-to-date systematic	Systematic reviews in preparation at time of	Systematic reviews that need updating or	
ier Title	from?	Why is there uncertainty?	workshop	treatments? 1	treatments? 2	treatments? 3		Original uncertainty	reviews	PSP	extending at time of PSP	Which outcomes
What is the most effective way of getting												
	Uncertainties identified from	No relevant systematic reviews		Education and								
their care?	patients' questions	identified		training								Ulcer Healing
									Moore ZEH, Cowman S. Wound cleansing for			
									pressure ulcers. Cochrane Database of			
									Systematic Reviews 2013, Issue 3. Art. No.:			
									CD004983. DOI:			
		Reliable up-to-date systematic							10.1002/14651858.CD004983.pub3 Fernandez R.	l		
		reviews have revealed							Griffiths R. Water for wound cleansing. Cochrane			
		important continuing							Database of Systematic Reviews 2012, Issue 2.			
What is the most effective way of keeping	Uncertainties identified from	uncertainties about treatment		Physical				This is an indicative uncertainty. This or a similar uncertainty was				
446 clean to aid pressure ulcer healing?	patients' questions	offects		theranies				submitted the following number of times in the survey: 3	10.1002/14651858.CD003861.pub3			Ulcer healing
What is the optimal number of times that	patients questions	errects		trierapies				submitted the following number of times in the survey: 3	10.1002/14051656.CD003661.pub3			Olcer nealing
	11	No. and an analysis of the second						This is the standard and a standard				
dressings should be changed to promote	Uncertainties identified from	No relevant systematic reviews						This submission was a variation of one which was prioritised.				I
635 pressure ulcer healing?	carers' questions	identified		Devices	Service delivery			Priority 8				Ulcer Healing
What is the relative effectiveness of different												
types of cushions for treating pressure	Uncertainties identified from	No relevant systematic reviews										
688 ulceration?	patients' questions	identified		Devices								Ulcer Healing
	<u> </u>	Reliable up-to-date systematic							McInnes E, Dumville JC, Jammali-Blasi A, Bell-	<u> </u>		
		reviews have revealed				1	1		Syer SEM. Support surfaces for treating pressure	1		1
		important continuing				1	1		ulcers. Cochrane Database of Systematic	1		
What is the relative effectiveness of different	Uncertainties identified from	uncertainties about treatment		1	1	1	I		Reviews 2011, Issue 12. Art. No.: CD009490.	1		1
675 types of cushions for treating pressure ulcers?		effects		Devices		1	1		DOI: 10.1002/14651858.CD009490	1		Ulcer healing
	quodiono				1	1	i	This submission was a variation of one which was prioritised.				2.001 Hoding
						1	1	Priority 4 This is an indicative uncertainty. This or a similar		1		1
What is the relative effectiveness of different						1	1	uncertainty was submitted the following number of times in the		1		1
types of pressure relieving cushions for	Uncertainties identified for-	No relevant systematic reviews		1	1	1	I	survey: 3 This uncertainty was also suggested for the following	1	1		1
types of pressure relieving cusnions for 535 pressure ulcer prevention?	clinicians' questions	identified		Douison		1	1	patients and interventions:[+in-patients]		1		Drovorti
pressure dicer prevention?	cimicians questions	luenillea		Devices	!	+	 	patients and interventions:[+in-patients]	-	1	+	Prevention
								L	L			
								Pressure Ulcer Ranked 4 This is an indicative uncertainty. This	McInnes E, Jammali-Blasi A, Bell-Syer SEM,			
								or a similar uncertainty was submitted the following number of	Dumville JC, Cullum N. Support surfaces for			
What is the relative effectiveness of the								times in the survey:60 What is the relative effectiveness of the	pressure ulcer prevention. Cochrane Database of			
different types of pressure relieving beds,								different types of pressure relieving beds, mattresses, overlays,	Systematic Reviews 2011, Issue 4. Art. No.:			
mattresses, overlays, heel protectors and	Uncertainties identified from	No relevant systematic reviews						heel protectors and cushions (including cushions for electric and	CD001735. DOI:			
611 cushions in preventing pressure ulcers?	clinicians' questions	identified		Devices				self-propelling wheelchairs) in preventing pressure ulcers?	10.1002/14651858.CD001735.pub4.			Prevention
What role does nutrition and hydration play in		No relevant systematic reviews						This is an indicative uncertainty. This or a similar uncertainty was				
656 the prevention of pressure ulcers?	patients' questions	identified		Diot				submitted the following number of times in the survey: 3	1			Prevention
What role does nutrition and hydration play in		No relevant systematic reviews		Dict				This is an indicative uncertainty. This or a similar uncertainty was				1 TOVCHION
680 the treatment of pressure ulcers?	patients' questions	identified		Diet				submitted the following number of times in the survey: 2	Ί			Ulcer Healing
000 the treatment of pressure dicers?	patients questions	identified		Diet	1	1		submitted the following number of times in the survey. 2	McInnes E, Jammali-Blasi A, Bell-Syer SEM,			Olcer Healing
		Deliable us to date austamatic										
		Reliable up-to-date systematic							Dumville JC, Cullum N. Support surfaces for			
		reviews have revealed							pressure ulcer prevention. Cochrane Database of			
When using alternating pressure mattresses		important continuing							Systematic Reviews 2011, Issue 4. Art. No.:			
what is the most effective cycle of alteration	Uncertainties identified from	uncertainties about treatment							CD001735. DOI:			
562 in promoting prevention?	clinicians' questions	effects		Devices					10.1002/14651858.CD001735.pub4.			Prevention
									McInnes E, Jammali-Blasi A, Bell-Syer SEM,			
		Reliable up-to-date systematic		1	1	1	I		Dumville JC, Cullum N. Support surfaces for	1		1
		reviews have revealed				1	I		pressure ulcer prevention. Cochrane Database of			
When using alternating pressure mattresses		important continuing		1	1	1	I		Systematic Reviews 2011, Issue 4. Art. No.:	1		1
what is the most effective size of air cell to	Uncertainties identified from	uncertainties about treatment		1	1	1	I		CD001735. DOI:	1		1
563 promote prevention?	clinicians' questions	effects		Devices	1	1	I		10.1002/14651858.CD001735.pub4.	1		Prevention
postpromote prevention?	United to questions	cucolo		DEVICES		+		+	10.1002/14001000.GD001/30.P004.	1	+	rieverillon
Which type of mattress is most effective in]		1	1	1	I		1	1		1
	Hannataintina ide 199 - 17	No selected and selected		1	1	1	I		1	1		1
the treatment of pressure ulcers in frail elderly		No relevant systematic reviews		L .	1	1	I		1	1		L.,
648 people who share a bed with a partner?	carers' questions	identified		Devices						ļ	1	Ulcer Healing
Would a 24/7 rather than 9-5 staff working]		1	1	1	I		1	1		1
hours model improve pressure ulcer	Uncertainties identified from	No relevant systematic reviews		1	1	1	I		1	1		1
479 prevention?	patients' questions	identified		Service delivery		1	I					Prevention
Would a specialist wound/prevention service		No relevant systematic reviews										
592 improve ulcer healing?	clinicians' questions	identified		Service delivery	1	1	I		1	1		Ulcer healing
Would empowering patients at risk of	•			,	i e		İ			İ		
pressure ulcers to become more engaged in]		1	1	1	I		1	1		1
their management impact on the duration of	Uncertainties identified from	No relevant systematic reviews		Education and		1	I					1
683 pressure ulcers?	patients' questions	identified		training		1	1			1		Ulcer Healing
	patients questions	luchuneu		uaiilliy		+		+				oicei nealing
Would empowering patients at risk of	11	No colorest control		F1	1	1	I		1	1		1
	Uncertainties identified from	No relevant systematic reviews		Education and	1	1	I		1	1		L
their management improve prevention?	patients' questions	identified		training	ļ	1						Prevention
	·		1	_	1	1	I	This is an indicative uncertainty. This or a similar uncertainty was	·	1	1	1
Would having the same individuals providing	Uncertainties identified from	No relevant systematic reviews				1	I	submitted the following number of times in the survey: 2				
50 consistent care help with ulcer healing?	patients' questions	identified		Service delivery		1	I	[+District Nurses]				Ulcer healing
	•											
Would pressure ulcer prevention be more									1			1
Would pressure ulcer prevention be more effective if given higher priority through public	Uncertainties identified from	No relevant systematic reviews		Education and	1	1						